Index of Authors

AHKONG, Q. F. *see* MAGGIO, B. 647–650; VOS, J. 651–653

AKAMATSU, N., NAKAJIMA, H. & MIYATA, S. Glucosamine metabolism in regenerating rat liver 589–592

AMOS, H. *see* CHRISTOPHER, C. W. 439–450

ANDERSON, L. D. & RILLEMA, J. A. Effects of hormones on protein and amino acid metabolism in mammary-gland explants of mice 355–359

ARCH, J. R. S. & NEWSHOLME, E. A. Activities and some properties of adenylate cyclase and phosphodiesterase in muscle, liver and nervous tissues from vertebrates and invertebrates in relation to the control of the concentration of adenosine 3′:5′-cyclic monophosphate 603–622

ARTHUR, J. R., BLAIR, H. A. F., BOYD, G. S., MASON, J. I. & SUCKLING, K. E. Oxidation of cholesterol and cholesterol analogues by mitochondrial preparations of steroid-hormone-producing tissue 47–51

AZHAR, S. *see* CLARK, M. R. 175–182

BADAWY, A. A.-B. & EVANS, M. Animal liver tryptophan pyrrolases. Absence of apoenzyme and of hormonal induction mechanism from species sensitive to tryptophan toxicity 79–88

BADENOCH-JONES, P. & BUTTERY, P. J. The effects of added purines on urate and purine synthesis *de novo* by isolated chick liver, kidney and lymphoid cells 549–556

BAIRD, G. D. *see* TREACHER, R. J. 127–134

BAKAY, R. *see* KOENIG, H. 543–547

BALDUINI, C. *see* BROVELLI, A. 497–500

BALDUINI, C. L. *see* BROVELLI, A. 497–500

BALLARD, F. J. *see* MEYUHAS, O. 1–7, 9–16

BARRETT, M. C., MILLS, D. J. & HORTON, A. A. Lowered respiratory activity in hypo-osmotically shocked mitochondria without loss of cytochrome *c* 635–638

BAUM, J. L. *see* YUE, B. Y. J. T. 567–573

BERGER, M., HAGG, S. A., GOODMAN, M. N. & RUDERMAN, N. B. Glucose metabolism in perfused skeletal muscle. Effects of starvation, diabetes, fatty acids, acetoacetate, insulin and exercise on glucose uptake and disposition 191–202

BIERER, D. *see* WILSON, L. G. 255–270

BJERVE, K. S., DAAE, L. N. W. & BREMER, J. Phosphatidic acid biosynthesis in rat liver mitochondria and microsomal fractions. Regulation of fatty acid positional specificity 249–254

BJÖRKHEM, I. *see* CARRELLA, M. 89–95

BLACKBURN, G. M., THOMPSON, M. H. & KING, H. W. S. Binding of diethylstilboestrol to deoxyribonucleic acid by rat liver microsomal fractions *in vitro* and in mouse foetal cells in culture 643–646

BLAIR, H. A. F. *see* ARTHUR, J. R. 47–51

BLAKE, R. L. *see* MANEN, C.-A. 529–533

BLEASDALE, J. E., HAWTHORNE, J. N., WIDLUND, L. & HEILBRONN, E. Phospholipid turnover in *Torpedo marmorata* electric organ during discharge *in vivo* 557–565

BORN, G. V. R. *see* MOTAMED, M. 655–657

BOTHAM, G. M. *see* VOS, J. 651–653

BOYD, G. S. *see* ARTHUR, J. R. 47–51

BREMER, J. *see* BJERVE, K. S. 249–254

BROVELLI, A., PALLAVICINI, G., SINIGAGLIA, F., BALDUINI, C. L. & BALDUINI, C. Identification of a sialoglycopeptide released by self-digestion from human erythrocyte membranes 497–500

BURCHELL, J. M. *see* HIGGINS, S. J. 271–282

BURGER, H. G. *see* HERINGTON, A. C. 61–69

BUTTERY, P. J. *see* BADENOCH-JONES, P. 549–556

CAMMACK, R. *see* EVANS, M. C. W. 71–77

CAMPBELL, A. K. & SIDDLE, K. The effect of intracellular calcium ions on adrenaline-stimulated adenosine 3′:5′-cyclic monophosphate concentrations in pigeon erythrocytes, studied by using the ionophore A23187 211–221

CAPITO, K. & HEDESKOV, C. J. Inosine-stimulated insulin release and metabolism of inosine in isolated mouse pancreatic islets 335–340

CARRELLA, M., BJÖRKHEM, I., GUSTAFSSON, J.-Å., EINARSSON, K. & HELLSTRÖM, K. The metabolism of steroids in the fatty liver induced by orotic acid feeding 89–95

CASEY, R. P., NJUS, D., RADDA, G. K. & SEHR, P. A. Adenosine triphosphate-evoked catecholamine release in chromaffin granules. Osmotic lysis as a consequence of proton translocation 583–588

CHOMCZYNSKI, P. & ZWIERZCHOWSKI, L. Mammary glucocorticoid receptor of mice in pregnancy and in lactation 481–483

CHRISTOPHER, C. W., KOHLBACHER, M. S. & AMOS, H. Transport of sugars in chick-embryo fibroblasts. Evidence for a low-affinity system and a high-affinity system for glucose transport 439–450

CLARK, M. R., AZHAR, S. & MENON, K. M. J. Ovarian adenosine 3′:5′-cyclic monophosphate-dependent protein kinase(s). Regulation by choriogonadotropin and lutropin in rat ovarian cells 175–182

CLIFTON, G. *see* KAPLOWITZ, N. 243–248

COHEN, P. *see* DERKSEN, A. 157–159; JESSE, R. L. 283–287

COLEMAN, R. *see* HOLDSWORTH, G. 493–495

CONDE, R. D. & SCORNIK, O. A. Role of protein degradation in the growth of livers after a nutritional shift 385–390

CORTES, P., LEVIN, N. W. & MARTIN, P. R. Ribonucleic acid synthesis in the renal cortex at the initiation of compensatory growth 457–470

CUNNINGHAM, V. J., DE MATTEIS, F. & STONARD, M. D. The effect of cobalt on the uptake of plasma iron by the liver 105–108

CURTIS, C. G. *see* WOOD, K. M. 39–46

CZOSNEK, H. H. *see* DE GROOT, N. 23–31

DAAE, L. N. W. *see* BJERVE, K. S. 249–254

DAVIS, S. R. *see* MEPHAM, B. 659–662

DAWSON, A. P. *see* GAINS, N. 295–305

DE CHAFFOY, D. & KONDO, M. Selective resistance to desiccation of nuclear ribonucleic acid synthesis in isolated nuclei of *Artemia salina* embryos during pre-emergence development 639–642

DE GROOT, N., YULI, I. J., CZOSNEK, H. H., SHIKLOSH, Y. & HOCHBERG, A. A. Studies on the amino acid-incorporating activity of native rat liver rough membrane and that reconstituted *in vitro* 23–31
DE MATTEIS, F. *see* CUNNINGHAM, V. J. 105–108
DERKSEN, A., MEGUID, M. M. & COHEN, P. Non-human primate platelets and arterial tissue cannot convert preformed [^{14}C]lanosterol into [^{14}C]cholesterol *in vivo* 157–159
DINGLE, J. T. *see* SHAW, I. H. 473–476
DOMÍNGUEZ, M. C. & HERRERA, E. The effect of glucose, insulin and adrenaline on glycerol metabolism *in vitro* in rat adipose tissue 183–190
DUTTON, G. J. *see* LEAKEY, J. E. A. 419–426
DYKES, C. W., KAY, J. & HARWOOD, J. L. Incorporation of choline and ethanolamine into phospholipids in germinating soya bean 575–581

EDWARDS, H. H. & MORRISON, M. Localization of thyroid peroxidase and the site of iodination in rat thyroid gland 477–479
EINARSSON, K. *see* CARRELLA, M. 89–95
EVANS, M. *see* BADAWY, A. A.-B. 79–88
EVANS, M. C. W., SIHRA, C. K. & CAMMACK, R. The properties of the primary electron acceptor in the Photosystem I reaction centre of spinach chloroplasts and its interaction with P700 and the bound ferredoxin in various oxidation–reduction states 71–77

FALLON, H. J. *see* JAMDAR, S. C. 327–334
FEARS, R. & MORGAN, B. Studies on the response of cholesterol biogenesis to feeding in rats. Evidence against the existence of diurnal rhythms 53–60
FENSELAU, A. & WALLIS, K. 3-Oxo acid coenzyme A-transferase in normal and diabetic rat muscle 509–512
FIRMIN, J. L. & GRAY, D. O. The biochemical pathway for the breakdown of methyl cyanide (acetonitrile) in bacteria 223–229
FISHER, D. *see* HART, C. A. 141–145
FOSSUM, S. *see* GAUTVIK, K. M. 119–125

GAINS, N. & DAWSON, A. P. A kinetic analysis of the changes in fluorescence on the interaction of 8-anilinonaphthalene-1-sulphonate with submitochondrial particles 295–305
GANGULY, J. *see* SHARMA, R. V. 377–383
GATLEY, S. J. & SHERRATT, H. S. A. The effects of diphenyleneiodonium and of 2,4-dichlorodiphenyleneiodonium on mitochondrial reactions. Mechanism of the inhibition of oxygen uptake as a consequence of the catalysis of the chloride/hydroxyl-ion exchange 317–326
GATLEY, S. J. & SHERRATT, H. S. A. The effects of diphenyleneiodonium on mitochondrial reactions. Relation of binding of diphenylene[^{125}I]iodonium to mitochondria to the extent of inhibition of oxygen uptake 307–315
GAUTVIK, K. M. & FOSSUM, S. Basal and thyroliberin-stimulated prolactin synthesis in single-cell cultures and in populations of rat pituitary cells 119–125
GOLDSMITH, L. A. Haemolysis induced by tyrosine crystals. Modifiers and inhibitors 17–22
GOODMAN, M. N. *see* BERGER, M. 191–202
GRAY, D. O. *see* FIRMIN, J. L. 223–229
GUNN, J. M. *see* MEYUHAS, O. 1–7
GUSTAFSSON, J.-Å. *see* CARRELLA, M. 89–95

HAGG, S. A., TAYLOR, S. I. & RUDERMAN, N. B. Glucose metabolism in perfused skeletal muscle. Pyruvate dehydrogenase activity in starvation, diabetes and exercise 203–210
HAGG, S. A. *see also* BERGER, M. 191–202
HALLINAN, T. *see* HART, C. A. 141–145
HAMPP, R. *see* WELLBURN, A. R. 231–233
HANSON, R. W. *see* MEYUHAS, O. 1–7, 9–16
HARRIS, E. J. *see* PARR, D. R. 289–294
HART, C. A., FISHER, D., HALLINAN, T. & LUCY, J. A. Effects of calcium ions and the bivalent cation ionophore A23187 on the agglutination and fusion of chicken erythrocytes by Sendai virus 141–145
HARWOOD, J. L. *see* DYKES, C. W. 575–581
HAWTHORNE, J. N. *see* BLEASDALE, J. E. 557–565
HEDESKOV, C. J. *see* CAPITO, K. 335–340
HEILBRONN, E. *see* BLEASDALE, J. E. 557–565
HELLSTRÖM, K. *see* CARRELLA, M. 89–95
HEMS, R. *see* KREBS, H. A. 341–353
HERINGTON, A. C., VEITH, N. & BURGER, H. G. Characterization of the binding of human growth hormone to microsomal membranes from rat liver 61–69
HERRERA, E. *see* DOMÍNGUEZ, M. C. 183–190
HIGGINS, S. J., BURCHELL, J. M. & MAINWARING, W. I. P. Androgen-dependent synthesis of basic secretory proteins by the rat seminal vesicle 271–282
HINTON, R. H. & MULLOCK, B. M. Differences between newly formed and recycled free small ribosome subunits in liver cytoplasm 97–103
HOCHBERG, A. A. *see* DE GROOT, N. 23–31
HOLDSWORTH, G. & COLEMAN, R. Plasma-membrane components can be removed from isolated lymphocytes by the bile salts glycocholate and taurocholate without cell lysis 493–495
HOLLAND, R. *see* ROUGHAN, P. G. 593–601
HORTON, A. A. *see* BARRETT, M. C. 635–638

JACOB, S. T., ROSE, K. M. & MUNRO, H. N. Response of poly(adenylic acid) polymerase in rat liver nuclei and mitochondria to starvation and re-feeding with amino acids 161–167
JAMDAR, S. C., SHAPIRO, D. & FALLON, H. J. Triacylglycerol biosynthesis in the adipose tissue of the obese-hyperglycaemic mouse 327–334
JÄNNE, J. *see* PÖSÖ, H. 485–488
JESSE, R. L. & COHEN, P. Arachidonic acid release from diacyl phosphatidylethanolamine by human platelet membranes 283–287
JONES, L. M. & MICHELL, R. H. Cholinergically stimulated phosphatidylinositol breakdown in parotid-gland fragments is independent of the ionic environment 505–507

KAPLOWITZ, N., CLIFTON, G., KUHLENKAMP, J. & WALLIN, J. D. Comparison of renal and hepatic glutathione *S*-transferases in the rat 243–248
KAY, J. *see* DYKES, C. W. 575–581
KHAWAJA, J. A. & SELLINGER, O. Z. Neuronal *N*-acetyl-β-D-glucosaminidase. Evidence for its biosynthesis *in vitro* 513–527
KILPATRICK, D. C. & STIRLING, J. L. Properties and developmental regulation of an α-D-galactosidase from *Dictyostelium discoideum* 409–417

KING, H. W. S. *see* BLACKBURN, G. M. 643–646
KIVIRIKKO, K. I. *see* RISTELI, J. 361–367, 369–376
KNIGHT, C. G. *see* SHAW, I. H. 473–476
KOENIG, H., LU, C. Y. & BAKAY, R. Textosterone and 6-*N*,2′-*O*-dibutyryladenosine 3′:5′-cyclic monophosphate stimulate protein and lysosomal enzyme secretion in rat seminal vesicle 543–547
KOHLBACHER, M. S. *see* CHRISTOPHER, C. W. 439–450
KONDO, M. *see* DE CHAFFOY, D. 639–642
KONINKX, J. F. J. G. Protein synthesis in salivary glands of *Drosophila hydei* after experimental gene induction 623–628
KREBS, H. A., HEMS, R. & TYLER, B. The regulation of folate and methionine metabolism 341–353
KUHLENKAMP, J. *see* KAPLOWITZ, N. 243–248

LANDRY, Y. & LEHNINGER, A. L. Transport of calcium ions by Ehrlich ascites-tumour cells 427–438
LEAKEY, J. E. A., WISHART, G. J. & DUTTON, G. J. Precocious development of UDP-glucuronyltransferase activity in chick-embryo liver after administration of adrenocorticotropic hormone and of certain 11β-hydroxy corticosteroids 419–426
LEHNINGER, A. L. *see* LANDRY, Y. 427–438
LEVIN, N. W. *see* CORTES, P. 457–470
LU, C. Y. *see* KOENIG, H. 543–547
LUCY, J. A. *see* HART, C. A. 141–145; MAGGIO, B. 647–650; VOS, J. 651–653

MAGGIO, B., AHKONG, Q. F. & LUCY, J. A. Poly(ethylene glycol), surface potential and cell fusion 647–650
MAINWARING, W. I. P. *see* HIGGINS, S. J. 271–282
MANEN, C.-A., BLAKE, R. L. & RUSSELL, D. H. Altered polyamine metabolism in the PRO/Re strain of inbred mice 529–533
MARKEY, F., SIMS, P. F. G. & WILD, D. G. The composition of an unusual precursor of 50S ribosomes in a mutant of *Escherichia coli* 451–456
MARTIN, P. R. *see* CORTES, P. 457–470
MASON, J. I. *see* ARTHUR, J. R. 47–51
MATHUR, S. N. *see* SHARMA, R. V. 377–383
MCKILLOP, D. & POWIS, G. The metabolism and binding of catecholamines by the hepatic microsomal mixed-function oxidase of the rat 135–140
MCKINNON, I. M. *see* STEVENS, L. 235–241
MEGUID, M. M. *see* DERKSEN, A. 157–159
MENON, K. M. J. *see* CLARK, M. R. 175–182
MEPHAM, B., PETERS, A. R. & DAVIS, S. R. Uptake and metabolism of tryptophan by the isolated perfused guinea-pig mammary gland 659–662
MEYUHAS, O., RESHEF, L., BALLARD, F. J. & HANSON, R. W. The effect of insulin and glucocorticoids on the synthesis and degradation of phosphoenolpyruvate carboxykinase (GTP) in rat adipose tissue cultured *in vitro* 9–16
MEYUHAS, O., RESHEF, L., GUNN, J. M., HANSON, R. W. & BALLARD, F. J. Regulation of phosphoenolpyruvate carboxykinase (GTP) in adipose tissue *in vivo* by glucocorticoids and insulin 1–7
MICHAL, F. *see* MOTAMED, M. 655–657
MICHELL, R. H. *see* JONES, L. M. 505–507
MILLS, D. J. *see* BARRETT, M. C. 635–638
MIYATA, S. *see* AKAMATSU, N. 589–592
MORGAN, B. *see* FEARS, R. 53–60
MORGAN, E. H. Failure of a cell-free system from rabbit reticulocytes to remove iron from transferrin 489–491
MORRISON, M. *see* EDWARDS, H. H. 477–479
MOTAMED, M., MICHAL, F. & BORN, G. V. R. Increase in sialic acids removable by neuraminidase during the shape change of platelets 655–657
MULLOCK, B. M. *see* HINTON, R. H. 97–103
MUNRO, H. N. *see* JACOB, S. T. 161–167

NAKAJIMA, H. *see* AKAMATSU, N. 589–592
NEWSHOLME, E. A. *see* ARCH, J. R. S. 603–622
NJUS, D. *see* CASEY, R. P. 583–588

PADMANABAN, G. *see* SARDANA, M. K. 169–174
PAINE, A. J. Induction of benzo[*a*]pyrene mono-oxygenase in liver cell culture by the photochemical generation of active oxygen species. Evidence for the involvement of singlet oxygen and the formation of a stable inducing intermediate 109–117
PALLAVICINI, G. *see* BROVELLI, A. 497–500
PARR, D. R. & HARRIS, E. J. The effect of lead on the calcium-handling capacity of rat heart mitochondria 289–294
PETERS, A. R. *see* MEPHAM, B. 659–662
PÖSÖ, H. & JÄNNE, J. Inhibition of polyamine accumulation and deoxyribonucleic acid synthesis in regenerating rat liver 485–488
POWELL, G. M. *see* WOOD, K. M. 39–46
POWIS, G. *see* MCKILLOP, D. 135–140

QUIRK, S. J. *see* VOS, J. 651–653

RADDA, G. K. *see* CASEY, R. P. 583–588
RAGAN, C. I. The interaction of reduced nicotinamide–adenine dinucleotide phosphate with reduced nicotinamide–adenine dinucleotide–ubiquinone reductase from bovine heart mitochondria 149–151
RAMSEY, R. B. Leucine and D-3-hydroxybutyrate as lipid precursors in developing rat spinal cord and liver 501–504
RESHEF, L. *see* MEYUHAS, O. 1–7, 9–16
RILLEMA, J. A. *see* ANDERSON, L. D. 355–359
RISTELI, J. & KIVIRIKKO, K. I. Intracellular enzymes of collagen biosynthesis in rat liver as a function of age and in hepatic injury induced by dimethylnitrosamine. Changes in prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and collagen glucosyltransferase activities 361–367
RISTELI, J., TUDERMAN, L. & KIVIRIKKO, K. I. Intracellular enzymes of collagen biosynthesis in rat liver as a function of age and in hepatic injury induced by dimethylnitrosamine. Purification of rat prolyl hydroxylase and comparison of changes in prolyl hydroxylase activity with changes in immunoreactive prolyl hydroxylase 369–376
ROSE, F. A. *see* THOMAS, S. B. 631–633
ROSE, K. M. *see* JACOB, S. T. 161–167
ROUGHAN, P. G., SLACK, C. R. & HOLLAND, R. High rates of [1-^{14}C]acetate incorporation into the lipid of isolated spinach chloroplasts 593–601
RUDERMAN, N. B. *see* BERGER, M. 191–202; HAGG, S. A. 203–210
RUSSELL, D. H. *see* MANEN, C.-A. 529–533

SARDANA, M. K. & PADMANABAN, G. Effect of 2-allyl-2-isopropylacetamide on poly(adenylic acid)-containing ribonucleic acid 169–174
SCORNIK, O. A. *see* CONDE, R. D. 385–390
SEHR, P. A. *see* CASEY, R. P. 583–588
SELLINGER, O. Z. *see* KHAWAJA, J. A. 513–527
SERAFINI-CESSI, F. Serum glycoprotein synthesis after partial hepatectomy in the rat 153–155
SHAPIRO, D. *see* JAMDAR, S. C. 327–334
SHARMA, R. V., MATHUR, S. N. & GANGULY, J. Studies on the relative biopotencies and intestinal absorption of different apo-β-carotenoids in rats and chickens 377–383
SHAW, I. H., KNIGHT, C. G. & DINGLE, J. T. Liposomal retention of a modified anti-inflammatory steroid 473–476
SHERRATT, H. S. A. *see* GATLEY, S. J. 307–315, 317–326
SHIKLOSH, Y. *see* DE GROOT, N. 23–31
SIDDLE, K. *see* CAMPBELL, A. K. 211–221
SIHRA, C. K. *see* EVANS, M. C. W. 71–77
SILBERT, J. E. *see* YUE, B. Y. J. T. 567–573
SIMS, P. F. G. *see* MARKEY, F. 451–456
SINIGAGLIA, F. *see* BROVELLI, A. 497–500
SLACK, C. R. *see* ROUGHAN, P. G. 593–601
STEVENS, L., MCKINNON, I. M. & WINTHER, M. Polyamine and ornithine metabolism during the germination of conidia of *Aspergillus nidulans* 235–241
STIRLING, J. L. *see* KILPATRICK, D. C. 409–417
ST. LOUIS, P. J. & SULAKHE, P. V. Adenylate cyclase, guanylate cyclase and cyclic nucleotide phosphodiesterase of guinea-pig cardiac sarcolemma 535–541
STONARD, M. D. *see* CUNNINGHAM, V. J. 105–108
SUCKLING, K. E. *see* ARTHUR, J. R. 47–51
SULAKHE, P. V. *see* ST. LOUIS, P. J. 535–541

TAYLOR, S. I. *see* HAGG, S. A. 203–210
THOMAS, S. B. & ROSE, F. A. The intracellular distribution of arylsulphatase C and oestrogen sulphatase activities in rat kidney and spleen 631–633
THOMPSON, M. H. *see* BLACKBURN, G. M. 643–646
TREACHER, R. J., BAIRD, G. D. & YOUNG, J. L. Antiketogenic effect of glucose in the lactating cow deprived of food 127–134
TUDERMAN, L. *see* RISTELI, J. 369–376
TYLER, B. *see* KREBS, H. A. 341–353

VEITH, N. *see* HERINGTON, A. C. 61–69
VOS, J., AHKONG, Q. F., BOTHAM, G. M., QUIRK, S. J. & LUCY, J. A. Changes in the distribution of intramembranous particles in hen erythrocytes during cell fusion induced by the bivalent-cation ionophore A23187 651–653

WALLIN, J. D. *see* KAPLOWITZ, N. 243–248
WALLIS, K. *see* FENSELAU, A. 509–512
WARBURTON, M. J. & WYNN, C. H. The effect of intralysosomal sucrose storage on the turnover of hamster fibroblast lysosomal and Golgi-apparatus enzymes 401–407
WELLBURN, A. R. & HAMPP, R. Uptake of mevalonate and acetate during plastid development 231–233
WHITING, M. J. Synthesis of δ-aminolaevulinate synthase by isolated liver polyribosomes 391–400
WIDLUND, L. *see* BLEASDALE, J. E. 557–565
WILD, D. G. *see* MARKEY, F. 451–456
WILSON, L. G. & BIERER, D. The formation of exchangeable sulphite from adenosine 3′-phosphate 5′-sulphatophosphate in yeast 255–270
WINTHER, M. *see* STEVENS, L. 235–241
WISHART, G. J. *see* LEAKEY, J. E. A. 419–426
WONG, K. P. Species differences in the conjugation of 4-hydroxy-3-methoxyphenylethanol with glucuronic acid and sulphuric acid 33–37
WOOD, K. M., CURTIS, C. G., POWELL, G. M. & WUSTEMAN, F. S. The metabolic fate of intravenously injected peptide-bound chondroitin sulphate in the rat 39–46
WUSTEMAN, F. S. *see* WOOD, K. M. 39–46
WYNN, C. H. *see* WARBURTON, M. J. 401–407

YOUNG, J. L. *see* TREACHER, R. J. 127–134
YUE, B. Y. J. T., BAUM, J. L. & SILBERT, J. E. The synthesis of glycosaminoglycans by cultures of rabbit corneal endothelial and stromal cells 567–573
YULI, I. J. *see* DE GROOT, N. 23–31

ZWIERZCHOWSKI, L. *see* CHOMCZYNSKI, P. 481–483

Index of Subjects

Acetate, high rates of incorporation of, into lipids of isolated spinach-leaf chloroplasts (Roughan, P. G., Slack, C. R. & Holland, R.) 593–601

Acetate, uptake of mevalonate and, during the development of plastids in oat seedlings (Wellburn, A. R. & Hampp, R.) 231–233

Acetoacetate, effects of starvation, streptozotocin-diabetes, fatty acids, insulin, exercise and, on the uptake and disposition of glucose in perfused rat skeletal muscle (Berger, M., Hagg, S. A., Goodman, M. N. & Ruderman, N. B.) 191–202

Acetonitrile, biochemical pathway for the metabolism of, in *Pseudomonas* sp. N.C.I.B. 10477 (Firmin, J. L. & Gray, D. O.) 223–229

N-Acetyl-β-D-glucosaminidase, biosynthesis of, by isolated rat cerebral-cortex neuronal cell bodies (Khawaja, J. A. & Sellinger, O. Z.) 513–527

Adenosine 3′:5′-cyclic monophosphate, activities and properties of adenylate cyclase and cyclic nucleotide phosphodiesterases in muscle, liver and nervous tissue from various vertebrate and invertebrate species in relation to the control of the concentration of (Arch, R. J. S. & Newsholme, E. A.) 603–622

Adenosine 3′:5′-cyclic monophosphate, 6-*N*,2′-*O*-dibutyryl-, stimulation by testosterone and, of the secretion of protein and lysosomal enzymes by rat seminal vesicle *in vitro* (Koenig, H., Lu, C. Y. & Bakay, R.) 543–547

Adenosine 3′:5′-cyclic monophosphate, use of ionophore A23187 to study the effect of intracellular calcium ions on the adrenaline-stimulated increase in the concentration of, in pigeon erythrocytes (Campbell, A. K. & Siddle, K.) 211–221

Adenosine diphosphate, increase in the amount of sialic acids removable by neuraminidase during the shape change of human and rabbit platelets induced by (Motamed, M., Michal, F. & Born, G. V. R.) 655–657

Adenosine 3′-phosphate 5′-sulphatophosphate, formation of exchangeable bound sulphite from, during the reduction of sulphate in baker's yeast (Wilson, L. G. & Bierer, D.) 255–270

Adenosine triphosphate, osmotic lysis as a consequence of the translocation of protons during the release of catecholamines by ox adrenal-gland-medulla chromaffin granules evoked by (Casey, R. P., Njus, D., Radda, G. K. & Sehr, P. A.) 583–588

Adenylate cyclase, activities and properties of cyclic nucleotide phosphodiesterases and, in muscle, liver and nervous tissue from various vertebrate and invertebrate species in relation to the control of the concentration of adenosine 3′:5′-cyclic monophosphate (Arch, R. J. S. & Newsholme, E. A.) 603–622

Adenylate cyclase, activities of cyclic nucleotide phosphodiesterase, guanylate cyclase and, in guinea-pig heart-muscle sarcolemma (St. Louis, P. J. & Sulakhe, P. V.) 535–541

Adipocytes, epididymal, mouse, obese–hyperglycaemic, biosynthesis of triacylglycerol in (Jamdar, S. C., Shapiro, D. & Fallon, H. J.) 327–334

Adipose tissue, epididymal, mouse, obese–hyperglycaemic, biosynthesis of triacylglycerol in (Jamdar, S. C., Shapiro, D. & Fallon, H. J.) 327–334

Adipose tissue, epididymal, rat, cultured, effects of glucocorticoids and insulin on the biosynthesis and degradation of phosphoenolpyruvate carboxykinase (guanosine triphosphate) in, *in vitro* (Meyuhas, O., Reshef, L., Ballard, F. J. & Hanson, R. W.) 9–16

Adipose tissue, epididymal, rat, effects of glucose, insulin and adrenaline on the metabolism of glycerol in, *in vitro* (Domínguez, M. C. & Herrera, E.) 183–190

Adipose tissue, epididymal, rat, regulation by glucocorticoids and insulin of the activity of phosphoenolpyruvate carboxykinase (guanosine triphosphate) in, *in vivo* (Meyuhas, O., Reshef, L., Gunn, J. M., Hanson, R. W. & Ballard, F. J.) 1–7

Adrenal-gland cortex, ox, oxidation of cholesterol and its analogues by mitochondrial preparations from, and other steroid-hormone-producing tissues (Arthur, J. R., Blair, H. A. F., Boyd, G. S., Mason, J. I. & Suckling, K. E.) 47–51

Adrenal-gland medulla, ox, osmotic lysis as a consequence of the translocation of protons during the adenosine triphosphate-evoked release of catecholamines by chromaffin granules from (Casey, R. P., Njus, D., Radda, G. K. & Sehr, P. A.) 583–588

Adrenal gland, rat, oxidation of cholesterol and its analogues by mitochondrial preparations from, and other steroid-hormone-producing tissues (Arthur, J. R., Blair, H. A. F., Boyd, G. S., Mason, J. I. & Suckling, K. E.) 47–51

Adrenaline, effects of glucose, insulin and, on the metabolism of glycerol in rat epididymal adipose tissue *in vitro* (Domínguez, M. C. & Herrera, E.) 183–190

Adrenaline, metabolism and binding of noradrenaline and, by rat liver microsomal mixed-function oxidase (McKillop, D. & Powis, G.) 135–140

Adrenaline, osmotic lysis as a consequence of the translocation of protons during the adenosine triphosphate-evoked release of, by ox adrenal-gland-medulla chromaffin granules (Casey, R. P., Njus, D., Radda, G. K. & Sehr, P. A.) 583–588

Adrenaline, use of ionophore A23187 to study the effect of intracellular calcium ions on the increase in the concentration of adenosine 3′:5′-cyclic monophosphate in pigeon erythrocytes stimulated by (Campbell, A. K. & Siddle, K.) 211–221

Adrenocorticotropin, *see* Corticotropin

Age, changes in the activities of intracellular enzmyes involved in the biosynthesis of collagen as a function of (Risteli, J. & Kivirikko, K. I.) 361–367

Age, comparison of changes in the activity of prolyl hydroxylase with changes in the concentration of protein reacting with anti-(prolyl hydroxylase) serum in rat liver as a function of age (Risteli, J., Tuderman, L. & Kivirikko, K. I.) 369–376

2-Allyl-2-isopropylacetamide, effects of the administration of, on the biosynthesis and nucleocytoplasmic transport of polyadenylate-containing ribonucleic acid in rat liver (Sardana, M. K. & Padmanaban, G.) 169–174

Amino acids, comparison of the activities for the incorporation of, into protein by native rat liver rough endoplasmic-reticulum membrane and by that reconstituted *in vitro* (de Groot, N., Yuli, I. J., Czosnek, H. H., Shiklosh Y. & Hochberg, A. A.) 23–31

Amino acids, effects of insulin, cortisol and prolactin on the uptake of, and the biosynthesis of protein in pregnant-mouse mammary-gland explants (Anderson, L. D. & Rillema, J. A.) 355–359
Amino acids, effects of starvation and re-feeding with, on the activity of polyadenylate polymerase in rat liver nuclei and mitochondria (Jacob, S. T., Rose, K. M. & Munro, H. N.) 161–167
Amino acids, incorporation of, into *N*-acetyl-β-D-glucosaminidase by isolated rat cerebral-cortex neuronal cell bodies (Khawaja, J. A. & Sellinger, O. Z.) 513–527
Androgens, dependence on, of the biosynthesis of basic secretory proteins by rat seminal vesicle (Higgins, S. J., Burchell, J. M. & Mainwaring, W. I. P.) 271–282
8-Anilinonaphthalene-1-sulphonate, kinetic analysis of the changes in fluorescence on the interaction of, with ox heart submitochondrial particles (Gains, N. & Dawson, A. P.) 295–305
Anions, organic, possible role of rat liver and kidney glutathione *S*-transferases as receptors for (Kaplowitz, N., Clifton, G., Kuhlenkamp, J. & Wallin, J. D.) 243–248
Apo-β-carotenoids, relative biopotencies and intestinal absorption of, in the rat and the chicken (Sharma, R. V., Mathur, S. N. & Ganguly, J.) 377–383
Arachidonate, release of, from diacyl phosphatidylethanolamine by human platelet membranes (Jesse, R. L. & Cohen, P.) 283–287
Artemia salina, *see* Brine shrimp
Arterial tissue, baboon and rhesus-monkey, evidence for lack of conversion of preformed lanosterol into cholesterol by, and blood platelets *in vivo* (Derksen, A., Meguid, M. M. & Cohen, P.) 157–159
Arthritis, retention by liposomes of a modified anti-inflammatory steroid and its possible use in the treatment of (Shaw, I. H., Knight, C. G. & Dingle, J. T.) 473–476
Arylsulphatase B, lysosomal, fibroblast, Chinese-hamster, effects of intralysosomal storage on the turnover of, and of Golgi-apparatus uridine diphosphate galactose–*N*-acetylglucosamine galactosyltransferase (Warburton, M. J. & Wynn, C. H.) 401–407
Arylsulphatase C, subcellular distribution of the activities of oestrogen sulphatase and, in rat kidney and spleen (Thomas, S. B. & Rose, F. A.) 631–633
Ascites-tumour cells, Ehrlich, transport of calcium ions by (Landry, Y. & Lehninger, A. L.) 427–438
Aspergillus nidulans, metabolism of polyamines and ornithine during the germination of conidia of (Stevens, L., McKinnon, I. M. & Winther, M.) 235–241
Avena sativa, *see* Oat

Baboon (*Papio anubis*), evidence for lack of conversion of preformed lanosterol into cholesterol by blood platelets and arterial tissue of rhesus monkey (*Macaca mulatta*) and, *in vivo* (Derksen, A., Meguid, M. M. & Cohen, P.) 157–159
Bean, soya (*Glycine max*), incorporation of choline and ethanolamine into phospholipids in germinating seeds of (Dykes, C. W., Kay, J. & Harwood, J. L.) 575–581
Benzo[*a*]pyrene mono-oxygenase, evidence for the involvement of singlet oxygen and the formation of a stable inducing intermediate in the induction of, in cultured rat liver cells by the photochemical generation of active species of oxygen (Paine, A. J.) 109–117
Bile acids, metabolism of, and other steroids in rat fatty liver induced by feeding with orotic acid (Carrella, M., Björkhem, I., Gustafsson, J.-Å., Einarsson, K. & Hellström, K.) 89–95
Bile salts, removal by, of components of the plasma membrane of isolated pig lymphocytes without cell lysis (Holdsworth, G. & Coleman, R.) 493–495
Blood platelets, *also* Platelets, blood
Brain cortex, rat, biosynthesis of *N*-acetyl-β-D-glucosaminidase by neuronal cell bodies isolated from (Khawaja, J. A. & Sellinger, O. Z.) 513–527
Brine shrimp (*Artemia salina*), selective resistance to desiccation of the biosynthesis of ribonucleic acid in nuclei isolated from embryos of, during pre-emergence development (de Chaffoy, D. & Kondo, M.) 639–642

Calcium ions, effect of lead ions on the uptake of, by rat heart mitochondria (Parr, D. R. & Harris, E. J.) 289–294
Calcium ions, effects of, and the bivalent cation ionophore A23187 on the agglutination and fusion of chicken erythrocytes by Sendai virus (Hart, C. A., Fisher, D., Hallinan, T. & Lucy, J. A.) 141–145
Calcium ions, intracellular, use of ionophore A23187 to study the effect of, on the adrenaline-stimulated increase in the concentration of adenosine 3′:5′-cyclic monophosphate in pigeon erythrocytes (Campbell, A. K. & Siddle, K.) 211–221
Calcium ions, transport of, by Ehrlich ascites-tumour cells (Landry, Y. & Lehninger, A. L.) 427–438
Carbamoylcholine, lack of dependence on the ionic environment of the stimulation by, of the breakdown of phosphatidylinositol in rat parotid-gland fragments (Jones, L. M. & Michell, R. H.), 505–507
β-Carotenoids, apo-, relative biopotencies and intestinal absorption of, in the rat and the chicken (Sharma, R. V., Mathur, S. N. & Ganguly, J.) 377–383
Catecholamines, metabolism and binding of, by rat liver microsomal mixed-function oxidase (McKillop, D. & Powis, G.) 135–140
Catecholamines, osmotic lysis as a consequence of the translocation of protons during the adenosine triphosphate-evoked release of, by ox adrenal-gland-medulla chromaffin granules (Casey, R. P., Njus, D., Radda, G. K. & Sehr, P. A.) 583–588
Cell fusion, changes in the distribution of intramembranous particles in chicken erythrocytes during, induced by ionophore A23187 (Vos, J., Ahkong, Q. F., Botham, G. M., Quirk, S. J. & Lucy, J. A.) 651–653
Cell fusion, decrease by polyethylene glycol of the surface potential of monolayers of phospholipids and its relevance to the induction of, of chicken erythrocytes (Maggio, B., Ahkong, Q. F. & Lucy, J. A.) 647–650
Cells, ascites-tumour, Ehrlich, transport of calcium ions by (Landry, Y. & Lehninger, A. L.) 427–438
Cells, endothelial and stromal, corneal, rabbit, cultured, biosynthesis of glycosaminoglycans by (Yue, B. Y. J. T., Baum, J. L. & Silbert, J. E.) 567–573

Cells, liver, kidney and lymphoid, chick, isolated, effects of added purines on the biosynthesis of urate and purines *de novo* by (Badenoch-Jones, P. & Buttery, P. J.) 549–556

Cells, liver, rat, cultured, evidence for the involvement of singlet oxygen and the formation of a stable inducing intermediate in the induction of benzo[*a*]pyrene monooxygenase in, by the photochemical generation of active species of oxygen (Paine, A. J.) 109–117

Cells, mouse-embryo, cultured, binding of diethylstilboestrol to deoxyribonucleic acid by rat liver microsomal fraction *in vitro* and in (Blackburn, G. M., Thompson, M. H. & King, H. W. S.) 643–646

Cells, tumour (GH_4C_1), pituitary-gland, rat, cultured, basal and thyroliberin-stimulated biosynthesis of prolactin by (Gautvik, K. M. & Fossum, S.) 119–125

Cerebral cortex, rat, biosynthesis of *N*-acetyl-β-D-glucosaminidase by neuronal cell bodies isolated from (Khawaja, J. A. & Sellinger, O. Z.) 513–527

Chick, effects of added purines on the biosynthesis of urate and purines *de novo* by liver, kidney and lymphoid cells isolated from (Badenoch-Jones, P. & Buttery, P. J.) 549–556

Chick embryo, biosynthesis of 5-aminolaevulinate synthase by systems containing liver polyribosomes isolated from (Whiting, M. J.) 391–400

Chick-embryo fibroblasts, evidence for a low-affinity system and a high-affinity system for the transport of glucose by (Christopher, C. W., Kohlbacher, M. S. & Amos, H.) 439–450

Chick embryo, precocious development of the activity of uridine diphosphate glucuronyltransferase in liver of, after the administration of corticotropin and of 11β-hydroxy corticosteroids (Leakey, J. E. A., Wishart, G. J. & Dutton, G. J.) 419–426

Chicken, changes in the distribution of intramembranous particles in erythrocytes from, during cell fusion induced by ionophore A23187 (Vos, J., Ahkong, Q. F., Botham, G. M., Quirk, S. J. & Lucy, J. A.) 651–653

Chicken, decrease by polyethylene glycol of the surface potential of monolayers of phospholipids and its relevance to the induction of cell fusion of erythrocytes from (Maggio, B., Ahkong, Q. F. & Lucy, J. A.) 647–650

Chicken, effects of calcium ions and the bivalent cation ionophore A23187 on the agglutination and fusion of erythrocytes from, by Sendai virus (Hart, C. A., Fisher, D., Hallinan, T. & Lucy, J. A.) 141–145

Chicken, relative biopotencies and intestinal absorption of various apo-β-carotenoids in the rat and (Sharma, R. V., Mathur, S. N. & Ganguly, J.) 377–383

Chloride ions, catalysis by diphenyleneiodonium of the exchange of hydroxyl ions and, by rat liver mitochondria (Gatley, S. J. & Sherratt, H. S. A.) 307–315

Chloride ions, mechanism of the inhibition by diphenyleneiodonium and 2,4-dichlorodiphenyleneiodonium of oxygen uptake by rat liver mitochondria as a consequence of the catalysis of the exchange of hydroxyl ions and (Gatley, S. J. & Sherratt, H. S. A.) 317–326

Chloroplasts, oat-seedling, uptake of mevalonate and acetate during the development of (Wellburn, A. R. & Hampp, R.) 231–233

Chloroplasts, spinach-leaf, isolated, high rates of incorporation of acetate into lipids of (Roughan, P. G., Slack, C. R. & Holland, R.) 593–601

Chloroplasts, spinach, properties of the primary electron acceptor in the Photosystem I reaction centre of, and its reaction with pigment P700 and the bound ferredoxin in various oxidation–reduction states (Evans, M. C. W., Sihra, C. K. & Cammack, R.) 71–77

Cholesterol, evidence against the existence of diurnal rhythms in the response to feeding of the biosynthesis of, in the rat (Fears, R. & Morgan, B.) 53–60

Cholesterol, evidence for lack of conversion of preformed lanosterol into, by baboon and rhesus-monkey blood platelets and arterial tissue *in vivo* (Derksen, A., Meguid, M. M. & Cohen, P.) 157–159

Cholesterol, metabolism of, and other steroids in rat fatty liver induced by feeding with orotic acid (Carrella, M., Björkhem, I., Gustafsson, J.-Å., Einarsson, K. & Hellström, K.) 89–95

Cholesterol, oxidation of, and its analogues by mitochondrial preparations from mammalian steroid-hormone-producing tissues (Arthur, J. R., Blair, H. A. F., Boyd, G. S., Mason, J. I. & Suckling, K. E.) 47–51

Cholestyramine, effects of dietary cholesterol and, on the biosynthesis of cholesterol in the rat (Fears, R. & Morgan, B.) 53–60

Choline, incorporation of ethanolamine and, into phospholipids in germinating soya-bean seeds (Dykes, C. W., Kay, J. & Harwood, J. L.) 575–581

Chondroitin sulphate, peptide-bound, metabolic fate of, injected intravenously into the rat (Wood, K. M., Curtis, C. G., Powell, G. M. & Wusteman, F. S.) 39–46

Choriogonadotropin, regulation by lutropin and, of the activity of adenosine 3′:5′-cyclic monophosphate-dependent protein kinases in rat ovary cells (Clark, M. R., Azhar, S. & Menon, K. M. J.) 175–182

Chromaffin granules, adrenal-gland-medulla, ox, osmotic lysis as a consequence of the translocation of protons during the adenosine triphosphate-evoked release of catecholamines by (Casey, R. P., Njus, D., Radda, G. K. & Sehr, P. A.) 583–588

Chromosomes, salivary-gland, *Drosophila hydei*, biosynthesis of protein after the experimental induction of genes of (Koninkx, J. F. J. G.) 623–628

Citric acid cycle, *see* Tricarboxylic acid cycle

Cobalt ions, effect of the administration of, on the uptake of plasma iron by rat liver (Cunningham, V. J., De Matteis, F. & Stonard, M. D.) 105–108

Collagen, changes in the activities of intracellular enzymes involved in the biosynthesis of, in rat liver as a function of age and in hepatic injury induced by dimethylnitrosamine (Risteli, J. & Kivirikko, K. I.) 361–367

Collagen galactosyltransferase, changes in the activities of prolyl hydroxylase, lysyl hydroxylase, collagen glucosyltransferase and, in rat liver as a function of age and in hepatic injury induced by dimethylnitrosamine (Risteli, J. & Kivirikko, K. I.) 361–367

Collagen glucosyltransferase, changes in the activities of prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and, in rat liver as a function of age and in hepatic injury induced by dimethylnitrosamine (Risteli, J. & Kivirikko, K. I.) 361–367

Columbia livia domesticus, *see* Pigeon

Conidia, *Aspergillus nidulans*, metabolism of polyamines and ornithine during the germination of (Stevens, L., McKinnon, I. M. & Winther, M.) 235–241

Cornea, rabbit, biosynthesis of glycosaminoglycans by cultured endothelial and stromal cells from (Yue, B. Y. J. T., Baum, J. L. & Silbert, J. E.) 567–573

Corticosteroid, anti-inflammatory, modified, retention of, by liposomes (Shaw, I. H., Knight, C. G. & Dingle, J. T.) 473–476

Corticosteroids, gluco-, activity of the receptor for, in mouse mammary gland during pregnancy and lactation (Chomczynski, P. & Zwierzchowski, L.) 481–483

Corticosteroids, 11β-hydroxy, precocious development of the activity of uridine diphosphate glucuronyltransferase in chick-embryo liver after the administration of corticotropin and of (Leakey, J. E. A., Wishart, G. J. & Dutton, G. J.) 419–426

Corticotropin, precocious development of the activity of uridine diphosphate glucuronyltransferase in chick-embryo liver after the administration of 11β-hydroxy corticosteroids and of (Leakey, J. E. A., Wishart, G. J. & Dutton, G. J.) 419–426

Cortisol, effects of insulin, prolactin and, on the uptake of amino acids and the biosynthesis of protein in pregnant mouse mammary-gland explants (Anderson, L. D. & Rillema, J. A.) 355–359

Cortisol, regulation by insulin and, of the activity of phosphoenolpyruvate carboxykinase (guanosine triphosphate) in rat epididymal adipose tissue *in vivo* (Meyuhas, O., Reshef, L., Gunn, J. M., Hanson, R. W. & Ballard, F. J.) 1–7

Cyclic adenosine 3′:5′-monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate

Cyclic nucleotide phosphodiesterases, activities and properties of adenylate cyclase and, in muscle, liver and nervous tissue from various vertebrate and invertebrate species in relation to the control of the concentration of adenosine 3′:5′-cyclic monophosphate (Arch, R. J. S. & Newsholme, E. A.) 603–622

Cyclic nucleotide phosphodiesterase, activities of adenylate cyclase, guanylate cylase and, in guinea-pig heart-muscle sarcolemma (St. Louis, P. J. & Sulakhe, P. V.) 535–541

Cytochrome *c*, lowered respiratory activity in hypo-osmotically shocked rat liver mitochondria without loss of (Barrett, M. C., Mills, D. J. & Horton, A. A.) 635–638

Cytochrome *P*-450, evidence for the involvement of singlet oxygen and the formation of a stable inducing intermediate in the induction of benzo[*a*]pyrene monooxygenase linked to, in cultured rat liver cells by the photochemical generation of active species of oxygen (Paine, A. J.) 109–117

Cytochrome *P*-450, metabolism and binding of catecholamines by rat liver microsomal mixed-function oxidase linked to (McKillop, D. & Powis, G.) 135–140

Cytosol, liver, rat, differences between newly formed and recycled free small ribosomal subunits in (Hinton, R. H. & Mullock, B. M.) 97–103

Deoxyribonucleic acid, binding of diethylstilboestrol to, by rat liver microsomal fraction *in vitro* and in cultured mouse-embryo cells (Blackburn, G. M., Thompson, M. H. & King, H. W. S.) 643–646

Deoxyribonucleic acid, inhibition by 1,3-diaminopropane of the accumulation of polyamines and the biosynthesis of, in regenerating rat liver after partial hepatectomy (Pösö, H. & Jänne, J.) 485–488

Development, postnatal, leucine and 3-hydroxybutyrate as precursors of lipids in rat spinal cord and liver during (Ramsey, R. B.) 501–504

Development, pre-emergence, selective resistance to desiccation of the biosynthesis of ribonucleic acid in isolated brine-shrimp-embryo nuclei during (de Chaffoy, D. & Kondo, M.) 639–642

Development, properties of *Dictyostelium discoideum* α-D-galactosidase and regulation of its activity during (Kilpatrick, D. C. & Stirling, J. L.) 409–417

Diabetes, streptozotocin-, effect of, on the activity of 3-oxo acid coenzyme A-transferase in rat skeletal muscle (Fenselau, A. & Wallis, K.) 509–512

Diabetes, streptozotocin-, effects of starvation, acetoacetate, exercise and, on the activity of pyruvate dehydrogenase in perfused rat skeletal muscle (Hagg, S. A., Taylor, S. I. & Ruderman, N. B.) 203–210

Diabetes, streptozotocin-, effects of starvation, fatty acids, acetoacetate, insulin, exercise and, on the uptake and disposition of glucose in perfused rat skeletal muscle (Berger, M., Hagg, S. A., Goodman, M. N. & Ruderman, N. B.) 191–202

1,3-Diaminopropane, inhibition by, of the accumulation of polyamines and the biosynthesis of deoxyribonucleic acid in regenerating rat liver after partial hepatectomy (Pösö, H. & Jänne, J.) 485–488

6-*N*,2′-*O*-Dibutyryladenosine 3′:5′-cyclic monophosphate, stimulation by testosterone and, of the secretion of protein and lysosomal enzymes by rat seminal vesicle *in vitro* (Koenig, H., Lu, C. Y. & Bakay, R.) 543–547

2,4-Dichlorodiphenyleneiodonium, mechanism of the inhibition by diphenyleneiodonium and, of oxygen uptake by rat liver mitochondria as a consequence of the catalysis of the exchange of chloride and hydroxyl ions (Gatley, S. J. & Sherratt, H. S. A.) 317–326

2,4-Dichlorodiphenyleneiodonium, relation of the binding of diphenyleneiodonium and, to rat liver mitochondria to the extent of inhibition of oxygen uptake (Gatley, S. J. & Sherratt, H. S. A.) 307–315

Dictyostelium discoideum, properties of α-D-galactosidase from, and regulation of its activity during development (Kilpatrick, D. C. & Stirling, J. L.) 409–417

Diet, evidence against the existence of diurnal rhythms in the response to, of the biosynthesis of cholesterol in the rat (Fears, R. & Morgan, B.) 53–60

Diet, protein-deficient, role of the degradation of protein in the growth of the liver in mice after a nutritional shift from, to an adequate diet (Conde, R. D. & Scornik, O. A.) 385–390

Diethylstilboestrol, binding of, to deoxyribonucleic acid by rat liver microsomal fraction *in vitro* and in cultured mouse-embryo cells (Blackburn, G. M., Thompson, M. H. & King, H. W. S.) 643–646

Dimethylnitrosamine, changes in the activities of intracellular enzymes involved in the biosynthesis of collagen in hepatic injury induced by (Risteli, J. & Kivirikko, K. I.) 361–367

Dimethylnitrosamine, comparison of changes in the activity of prolyl hydroxylase with changes in the concentration of protein reacting with anti-(prolyl hydroxylase) serum in rat liver in hepatic injury induced by (Risteli, J., Tuderman, L. & Kivirikko, K. I.) 369–376
Diphenyleneiodonium, mechanism of the inhibition by 2,4-dichlorodiphenyleneiodonium and, of oxygen uptake by rat liver mitochondria as a consequence of the catalysis of the exchange of chloride and hydroxyl ions (Gatley, S. J. & Sherratt, H. S. A.) 317–326
Diphenyleneiodonium, relation of the binding of, to rat liver mitochondria to the extent of inhibition of oxygen uptake (Gatley, S. J. & Sherratt, H. S. A.) 307–315
Drosophila hydei, *see* Fruitfly

Ehrlich ascites-tumour cells, transport of calcium ions by (Landry, Y. & Lehninger, A. L.) 427–438
Electric organ, *Torpedo marmorata*, turnover of phospholipids in, during discharge *in vivo* (Bleasdale, J. E., Hawthorne, J. N., Widlund, L. & Heilbronn, E.) 557–565
Electron acceptor, primary, properties of, in the Photosystem I reaction centre of spinach chloroplasts and its reaction with pigment P700 and the bound ferredoxin in various oxidation–reduction states (Evans, M. C. W., Sihra, C. K. & Cammack, R.) 71–77
Embryo, brine-shrimp, selective resistance to desiccation of the biosynthesis of ribonucleic acid in nuclei isolated from, during pre-emergence development (de Chaffoy, D. & Kondo, M.) 639–642
Endoplasmic reticulum, *see* Reticulum, endoplasmic
Endothelial cells, corneal, rabbit, cultured, biosynthesis of glycosaminoglycans by, and stromal cells (Yue, B. Y. J. T., Baum, J. L. & Silbert, J. E.) 567–573
Epididymis, mouse, obese–hyperglycaemic, biosynthesis of triacylglycerol in adipose tissue of (Jamdar, S. C., Shapiro, D. & Fallon, H. J.) 327–334
Epididymis, rat, effects of glucocorticoids and insulin on the biosynthesis and degradation of phosphoenolpyruvate carboxykinase (guanosine triphosphate) in cultured adipose tissue from, *in vitro* (Meyuhas, O., Reshef, L., Ballard, F. J. & Hanson, R. W.) 9–16
Epididymis, rat, effects of glucose, insulin and adrenaline on the metabolism of glycerol in adipose tissue of, *in vitro* (Domínguez, M. C. & Herrera, E.) 183–190
Epididymis, rat, regulation by glucocorticoids and insulin of the activity of phosphoenolpyruvate carboxykinase (guanosine triphosphate) in adipose tissue of, *in vivo* (Meyuhas, O., Reshef, L., Gunn, J. M., Hanson, R. W. & Ballard, F. J.) 1–7
Epinephrine, *see* Adrenaline
Erythrocytes, chicken, changes in the distribution of intramembranous particles in, during cell fusion induced by ionophore A23187 (Vos, J., Ahkong, Q. F., Botham, G. M., Quirk, S. J. & Lucy, J. A.) 651–653
Erythrocytes, chicken, decrease by polyethylene glycol of the surface potential of monolayers of phospholipids and its relevance to the induction of cell fusion of (Maggio, B., Ahkong, Q. F. & Lucy, J. A.) 647–650
Erythrocytes, chicken, effects of calcium ions and the bivalent cation ionophore A23187 on the agglutination and fusion of, by Sendai virus (Hart, C. A., Fisher, D., Hallinan, T. & Lucy, J. A.) 141–145
Erythrocytes, human, identification of a sialoglycopeptide released by self-digestion from the membrane of (Brovelli, A., Pallavicini, G., Sinigaglia, F., Balduini, C. L. & Balduini, C.) 497–500
Erythrocytes, human, modifiers and inhibitors of the haemolysis of, induced by tyrosine crystals (Goldsmith, L. A.) 17–22
Erythrocytes, pigeon, use of ionophore A23187 to study the effect of intracellular calcium ions on the adrenaline-stimulated increase in the concentration of adenosine 3′:5′-cyclic monophosphate in (Campbell, A. K. & Siddle, K.) 211–221
Escherichia coli, composition of an unusual precursor of 50S ribosomes in a mutant of (Markey, F., Sims, P. F. G. & Wild, D. G.) 451–456
Estrogens, *see* Oestrogens
Ethanolamine, incorporation of choline and, into phospholipids in germinating soya-bean seeds (Dykes, C. W., Kay, J. & Harwood, J. L.) 575–581
Etioplasts, oat-seedling, uptake of mevalonate and acetate during the development of (Wellburn, A. R. & Hampp, R.) 231–233
Exercise, effects of starvation, streptozotocin-diabetes, acetoacetate and, on the activity of pyruvate dehydrogenase in perfused rat skeletal muscle (Hagg, S. A., Taylor, S. I. & Ruderman, N. B.) 203–210
Exercise, effects of starvation, streptozotocin-diabetes, fatty acids, acetoacetate, insulin and, on the uptake and disposition of glucose in perfused rat skeletal muscle (Berger, M., Hagg, S. A., Goodman, M. N. & Ruderman, N. B.) 191–202
Eye, rabbit, biosynthesis of glycosaminoglycans by cultured corneal endothelial and stromal cells from (Yue, B. Y. J. T., Baum, J. L. & Silbert, J. E.) 567–573

Fat-cells, epididymal, mouse, obese–hyperglycaemic, biosynthesis of triacylglycerol in (Jamdar, S. C., Shapiro, D. & Fallon, H. J.) 327–334
Fatty acids, effects of starvation, streptozotocin-diabetes, acetoacetate, insulin, exercise and, on the uptake and disposition of glucose in perfused rat skeletal muscle (Berger, M., Hagg, S. A., Goodman, M. N. & Ruderman, N. B.) 191–202
Fatty acids, long-chain, high rates of incorporation of acetate into, of isolated spinach-leaf chloroplasts (Roughan, P. G., Slack, C. R. & Holland, R.) 593–601
Fatty acids, regulation of the positional specificity of, during the biosynthesis of phosphatidate in rat liver mitochondria and microsomal fraction (Bjerve, K. S., Daae, L. N. W. & Bremer, J.) 249–254
Fatty liver, rat, metabolism of steroids in, induced by feeding with orotic acid (Carrella, M., Björkhem, I., Gustafsson, J.-Å., Einarsson, K. & Hellström, K.) 89–95
Feeding, evidence against the existence of diurnal rhythms in the response to, of the biosynthesis of cholesterol in the rat (Fears, R. & Morgan, B.) 53–60
Ferredoxin, bound, properties of the primary electron acceptor in the Photosystem I reaction centre of spinach chloroplasts and its reaction with pigment P700 and, in various oxidation–reduction states (Evans, M. C. W., Sihra, C. K. & Cammack, R.) 71–77

Fibroblasts, chick-embryo, evidence for a low-affinity system and a high-affinity system for the transport of glucose by (Christopher, C. W., Kohlbacher, M. S. & Amos, H.) 439–450
Fibroblasts, Chinese-hamster, effects of intralysosomal storage of sucrose on the turnover of enzymes in lysosomes and Golgi apparatus of (Warburton, M. J. & Wynn, C. H.) 401–407
Folates, regulation of the metabolism of methionine and, in isolated perfused rat liver and rat hepatocytes (Krebs, H. A., Hems, R. & Tyler, B.) 341–353
Food, mechanisms of the effect of the administration of glucose on bovine ketosis caused by deprivation of, during early lactation in the cow (Treacher, R. J., Baird, G. D. & Young, J. L.) 127–134
Formate, promotion by methionine of the oxidation of, in isolated rat hepatocytes (Krebs, H. A., Hems, R. & Tyler, B.) 341–353
Fruitfly (*Drosophila hydei*), biosynthesis of protein in the salivary glands of, after experimental induction of genes (Koninkx, J. F. J. G.) 623–628

α-D-Galactosidase, properties of, from *Dictyostelium discoideum* and regulation of its activity during development (Kilpatrick, D. C. & Stirling, J. L.) 409–417
Genes, biosynthesis of protein in *Drosophila hydei* salivary gland after experimental induction of (Koninkx, J. F. J. G.) 623–628
Germination, incorporation of choline and ethanolamine into phospholipids in soya-bean seeds during (Dykes, C. W., Kay, J. & Harwood, J. L.) 575–581
Germination, metabolism of polyamines and ornithine during, of *Aspergillus nidulans* conidia (Stevens, L., McKinnon, I. M. & Winther, M.) 235–241
Glucocorticoids, effects of insulin and, on the biosynthesis and degradation of phosphoenolpyruvate carboxykinase (guanosine triphosphate) in cultured rat epididymal adipose tissue *in vitro* (Meyuhas, O., Reshef, L., Ballard, F. J. & Hanson, R. W.) 9–16
Glucocorticoids, regulation by insulin and, of the activity of phosphoenolpyruvate carboxykinase (guanosine triphosphate) in rat epididymal adipose tissue *in vivo* (Meyuhas, O., Reshef, L., Gunn, J. M., Hanson, R. W. & Ballard, F. J.) 1–7
Glucocorticosteroids, activity of the receptor for, in mouse mammary gland during pregnancy and lactation (Chomczynski, P. & Zwierzchowski, L.) 481–483
Glucosamine, incorporation of, into serum glycoproteins in rat liver after partial hepatectomy (Serafini-Cessi, F.) 153–155
Glucosamine, incorporation of sulphate and, into glycosaminoglycans by cultured rabbit corneal endothelial and stromal cells (Yue, B. Y. J. T., Baum, J. L. & Silbert, J. E.) 567–573
Glucosamine, metabolism of, in regenerating rat liver (Akamatsu, N., Nakajima, H. & Miyata, S.) 589–592
Glucose, effects of insulin, adrenaline and, on the metabolism of glycerol in rat epididymal adipose tissue *in vitro* (Domínguez, M. C. & Herrera, E.) 183–190
Glucose, effects of starvation, streptozotocin-diabetes, acetoacetate and exercise on the activity of pyruvate dehydrogenase regulating the metabolism of, in perfused rat skeletal muscle (Hagg, S. A., Taylor, S. I. & Ruderman, N. B.) 203–210
Glucose, effects of starvation, streptozotocin-diabetes, fatty acids, acetoacetate, insulin and exercise on the uptake and disposition of, in perfused rat skeletal muscle (Berger, M., Hagg, S. A., Goodman, M. N. & Ruderman, N. B.) 191–202
Glucose, evidence for a low-affinity system and a high-affinity system for the transport of, by chick-embryo fibroblasts (Christopher, C. W., Kohlbacher, M. S. & Amos, H.) 439–450
Glucose, mechanisms of the effect of the administration of, on bovine ketosis caused by deprivation of food during early lactation in the cow (Treacher, R. J., Baird, G. D. & Young, J. L.) 127–134
Glucose, promotion by methionine of the formation of, from histidine in isolated rat hepatocytes (Krebs, H. A., Hems, R. & Tyler, B.) 341–353
Glucuronide conjugates, species differences in the formation of sulphate conjugates and, of 4-hydroxy-3-methoxyphenylethanol (Wong, K. P.) 33–37
Glutathione (reduced) *S*-transferases, comparison of the properties of, of rat kidney and liver (Kaplowitz, N., Clifton, G., Kuhlenkamp, J. & Wallin, J. D.) 243–248
Glycerol, effects of glucose, insulin and adrenaline on the metabolism of, in rat epididymal tissue *in vitro* (Domínguez, M. C. & Herrera, E.) 183–190
Glycerolipids, biosynthesis of, in obese–hyperglycaemic mouse epididymal adipose tissue (Jamdar, S. C., Shapiro, D. & Fallon, H. J.) 327–334
Glycine max, *see* Bean, soya
Glycocholate, removal by taurocholate and, of components of the plasma membrane of isolated pig lymphocytes without cell lysis (Holdsworth, G. & Coleman, R.) 493–495
Glycopeptide, sialo-, identification of, released by self-digestion from human erythrocyte membrane (Brovelli, A., Pallavicini, G., Sinigaglia, F., Balduini, C. L. & Balduini, C.) 497–500
Glycoproteins, biosynthesis of, in regenerating rat liver (Akamatsu, N., Nakajima, H. & Miyata, S.) 589–592
Glycoproteins, serum, biosynthesis of, in rat liver after partial hepatectomy (Serafini-Cessi, F.) 153–155
Golgi apparatus, fibroblast, Chinese-hamster, effects of intralysosomal storage of sucrose on the turnover of enzymes in, and lysosomes (Warburton, M. J. & Wynn, C. H.) 401–407
Gonadotropin, chorio-, regulation by lutropin and, of the activity of adenosine 3′:5′-cyclic monophosphate-dependent protein kinases in rat ovary cells (Clark, M. R., Azhar, S. & Menon, K. M. J.) 175–182
Growth hormone, characterization of the binding of, to rat liver microsomal membranes (Herington, A. C., Veith, N. & Burger, H. G.) 61–69
Guanylate cyclase, activities of cyclic nucleotide phosphodiesterase, adenylate cyclase and, in guinea-pig heart-muscle sarcolemma (St. Louis, P. J. & Sulakhe, P. V.) 535–541

Haem, repression by, of the biosynthesis of 5-aminolaevulinate synthase by systems containing chick-embryo liver polyribosomes (Whiting, M. J.) 391–400
Haemolysis, modifiers and inhibitors of, of human erythrocytes induced by tyrosine crystals (Goldsmith, L. A.) 17–22

Heart muscle, guinea-pig, activities of adenylate cyclase, guanylate cyclase and cyclic nucleotide phosphodiesterase in sarcolemma from (St. Louis, P. J. & Sulakhe, P. V.) 535–541
Heart, ox, interaction of reduced nicotinamide–adenine dinucleotide phosphate with mitochondrial reduced nicotinamide–adenine dinucleotide–ubiquinone reductase from (Ragan, C. I.) 149–151
Heart, ox, kinetic analysis of the changes in fluorescence on the interaction of 8-anilinonaphthalene-1-sulphonate with submitochondrial particles from (Gains, N. & Dawson, A. P.) 295–305
Heart, rat, effect of lead ions on the uptake of calcium ions by mitochondria from (Parr, D. R. & Harris, E. J.) 289–294
Hen, *see* Chicken
Hepatectomy, partial, biosynthesis of serum glycoproteins in rat liver after (Serafini-Cessi, F.) 153–155
Hepatectomy, partial, inhibition by 1,3-diaminopropane of the accumulation of polyamines and the biosynthesis of deoxyribonucleic acid in regenerating rat liver after (Pösö, H. & Jänne, J.) 485–488
Hepatectomy, partial, metabolism of glucosamine in regenerating rat liver after (Akamatsu, N., Nakajima, H. & Miyata, S.) 589–592
Hepatocytes, rat, cultured, evidence for the involvement of singlet oxygen and the formation of a stable inducing intermediate in the induction of benzo[*a*]pyrene monooxygenase in, by the photochemical generation of active species of oxygen (Paine, A. J.) 109–117
Hepatocytes, rat, isolated, regulation of the metabolism of folates and methionine in, and perfused rat liver (Krebs, H. A., Hems, R. & Tyler, B.) 341–353
Histidine, promotion by methionine of the formation of glucose from, in isolated rat hepatocytes (Krebs, H. A., Hems, R. & Tyler, B.) 341–353
Homovanillyl alcohol (4-hydroxy-3-methoxyphenylethanol), species differences in the formation of glucuronide and sulphate conjugates of (Wong, K. P.) 33–37
Hydrocortisone, *see* Cortisol
Hydrogen ions, osmotic lysis as a consequence of the translocation of, during the adenosine triphosphate-evoked release of catecholamines by ox adrenal-gland-medulla chromaffin granules (Casey, R. P., Njus, D., Radda, G. K. & Sehr, P. A.) 583–588
Hydrolases, lysosomal, stimulation by testosterone and 6-*N*,2′-*O*-dibutyryladenosine 3′:5′-cyclic monophosphate of the secretion of, and other proteins by rat seminal vesicle *in vitro* (Koenig, H., Lu, C. Y. & Bakay, R.) 543–547
11β-Hydroxy corticosteroids, precocious development of the activity of uridine diphosphate glucuronyltransferase in chick-embryo liver after the administration of corticotropin and of (Leakey, J. E. A., Wishart, G. J. & Dutton, G. J.) 419–426
3-Hydroxybutyrate, leucine and, as precursors of lipids in rat spinal cord and liver during postnatal development (Ramsey, R. B.) 501–504
4-Hydroxy-3-methoxyphenylethanol (homovanillyl alcohol), species differences in the formation of glucuronide and sulphate conjugates of (Wong, K. P.) 33–37
Hydroxyl ions, catalysis by diphenyleneiodonium of the exchange of chloride ions and, by rat liver mitochondria (Gatley, S. J. & Sherratt, H. S. A.) 307–315
Hydroxyl ions, mechanism of the inhibition by diphenyleneiodonium and 2,4-dichlorodiphenyleneiodonium of oxygen uptake by rat liver mitochondria as a consequence of the catalysis of the exchange of chloride ions and (Gatley, S. J. & Sherratt, H. S. A.) 317–326
3β-Hydroxypregn-5-en-20-one, oxidation of cholesterol and its analogues to, by mitochondrial preparations from mammalian steroid-hormone-producing tissues (Arthur, J. R., Blair, H. A. F., Boyd, G. S., Mason, J. I. & Suckling, K. E.) 47–51
5-Hydroxytryptamine, increase in the amount of sialic acids removable by neuraminidase during the shape change of human and rabbit platelets induced by (Motamed, M., Michal, F. & Born, G. V. R.) 655–657
5-Hydroxytryptamine, possible involvement of, in the toxicity of tryptophan in sensitive animal species (Badawy, A. A.-B. & Evans, M.) 79–88

Inosine, inosine-stimulated release of insulin and the metabolism of, by isolated mouse pancreatic islets of Langerhans (Capito, K. & Hedeskov, C. J.) 335–340
Insulin, effects of cortisol, prolactin and, on the uptake of amino acids and the biosynthesis of protein in pregnant mouse mammary-gland explants (Anderson, L. D. & Rillema, J. A.) 355–359
Insulin, effects of glucocorticoids and, on the biosynthesis and degradation of phosphoenolpyruvate carboxykinase (guanosine triphosphate) in cultured rat epididymal adipose tissue *in vitro* (Meyuhas, O., Reshef, L., Ballard, F. J. & Hanson, R. W.) 9–16
Insulin, effects of glucose, adrenaline and, on the metabolism of glycerol in rat epididymal adipose tissue *in vitro* (Domínguez, M. C. & Herrera, E.) 183–190
Insulin, effects of starvation, streptozotocin-diabetes, fatty acids, acetoacetate, exercise and, on the uptake and disposition of glucose in perfused rat skeletal muscle (Berger, M., Hagg, S. A., Goodman, M. N. & Ruderman, N. B.) 191–202
Insulin, inosine-stimulated release of, and the metabolism of inosine by isolated mouse pancreatic islets of Langerhans (Capito, K. & Hedeskov, C. J.) 335–340
Insulin, regulation by glucocorticoids and, of the activity of phosphoenolpyruvate carboxykinase (guanosine triphosphate) in rat epididymal adipose tissue *in vivo* (Meyuhas, O., Reshef, L., Gunn, J. M., Hanson, R. W. & Ballard, F. J.) 1–7
Intestine, rat and chicken, relative biopotencies and absorption by, of various apo-β-carotenoids (Sharma, R. V., Mathur, S. N. & Ganguly, J.) 377–383
Iodination, subcellular localization of peroxidase and the site of, in rat thyroid gland (Edwards, H. H. & Morrison, M.) 477–479
Ionophore A23187, changes in the distribution of intramembranous particles in chicken erythrocytes during cell fusion induced by (Vos, J., Ahkong, Q. F., Botham, G. M., Quirk, S. J. & Lucy, J. A.) 651–653
Ionophore A23187, effects of calcium ions and, on the agglutination and fusion of chicken erythrocytes by Sendai virus (Hart, C. A., Fisher, D., Hallinan, T. & Lucy, J. A.) 141–145

Ionophore A23187, use of, to study the effect of intracellular calcium ions on the adrenaline-stimulated increase in the concentration of adenosine 3′:5′-cyclic monophosphate in pigeon erythrocytes (Campbell, A. K. & Siddle, K.) 211–221
Iron, failure of a cell-free system from rabbit reticulocytes to remove, from transferrin (Morgan, E. H.) 489–491
Iron, plasma, effect of the administration of cobalt ions on the uptake of, by rat liver (Cunningham, V. J., De Matteis, F. & Stonard, M. D.) 105–108
Iron–sulphur protein (ferredoxin), bound, properties of the primary electron acceptor in the Photosystem I reaction centre of spinach chloroplasts and its reaction with pigment P700 and, in various oxidation–reduction states (Evans, M. C. W., Sihra, C. K. & Cammack, R.) 71–77
Islets of Langerhans, pancreatic, mouse, isolated, inosine-stimulated release of insulin and the metabolism of inosine by (Capito, K. & Hedeskov, C. J.) 335–340

Ketosis, bovine, mechanisms of the effect of the administration of glucose on, caused by deprivation of food during early lactation in the cow (Treacher, R. J., Baird, G. D. & Young, J. L.) 127–134
Kidney cells, chick, isolated, effects of added purines on the biosynthesis of urate and purines *de novo* by, and liver and lymphoid cells (Badenoch-Jones, P. & Buttery, P. J.) 549–556
Kidney cortex, rat, biosynthesis of ribonucleic acid in, at the initiation of compensatory growth (Cortes, P., Levin, N. W. & Martin, P. R.) 457–470
Kidney, mouse, altered metabolism of polyamines in, and liver of animals of the inbred PRO/Re strain characterized by abnormal accumulation of proline (Manen, C.-A., Blake, R. L. & Russell, D. H.) 529–533
Kidney, rat, comparison of the properties of glutathione *S*-transferases of, and liver (Kaplowitz, N., Clifton, G., Kuhlenkamp, J. & Wallin, J. D.) 243–248
Kidney, rat, subcellular distribution of the activities of arylsulphatase C and oestrogen sulphatase in, and spleen (Thomas, S. B. & Rose, F. A.) 631–633

Lactation, activity of the glucocorticosteroid receptor in mouse mammary gland during pregnancy and (Chomczynski, P. & Zwierzchowski, L.) 481–483
Lactation, mechanisms of the effect of the administration of glucose on bovine ketosis caused by deprivation of food during, in the cow (Treacher, R. J., Baird, G. D. & Young, J. L.) 127–134
Lactogen-binding sites, membrane, microsomal, liver, rat, characterization of the binding of human growth hormone to (Herington, A. C., Veith, N. & Burger, H. G.) 61–69
Lanosterol, evidence for lack of conversion of, into cholesterol by baboon and rhesus-monkey blood platelets and arterial tissue *in vivo* (Derksen, A., Meguid, M. M. & Cohen, P.) 157–159
Lead ions, effect of, on the uptake of calcium ions by rat heart mitochondria (Parr, D. R. & Harris, E. J.) 289–294
Leaves, spinach, high rates of incorporation of acetate into lipids of chloroplasts isolated from (Roughan, P. G., Slack, C. R. & Holland, R.) 593–601
Lecithin, *see* Phosphatidylcholine
Leucine, comparison of the activities for the incorporation of phenylalanine and, into protein by native rat liver rough endoplasmic-reticulum membrane and by that reconstituted *in vitro* (de Groot, N., Yuli, I. J., Czosnek, H. H., Shiklosh, Y. & Hochberg, A. A.) 23–31
Leucine, effects of insulin, cortisol and prolactin on the uptake of amino acids and the incorporation of, into protein in pregnant mouse mammary-gland explants (Anderson, L. D. & Rillema, J. A.) 355–359
Leucine, 3-hydroxybutyrate and, as precursors of lipids in rat spinal cord and liver during postnatal development (Ramsey, R. B.) 501–504
Lipids, high rates of incorporation of acetate into, of isolated spinach-leaf chloroplasts (Roughan, P. G., Slack, C. R. & Holland, R.) 593–601
Lipids, leucine and 3-hydroxybutyrate as precursors of, in rat spinal cord and liver during postnatal development (Ramsey, R. B.) 501–504
Lipogenesis, effects of glucose, insulin and adrenaline on, from glycerol in rat epididymal adipose tissue *in vitro* (Domínguez, M. C. & Herrera, E.) 183–190
Liposomes, retention by, of a modified anti-inflammatory steroid (Shaw, I. H., Knight, C. G. & Dingle, J. T.) 473–476
Liver, absence of apoenzyme and of hormonal induction mechanisms for tryptophan pyrrolase from, of animal species sensitive to the toxicity of tryptophan (Badawy, A. A.-B. & Evans, M.) 79–88
Liver, activities and properties of adenylate cyclase and cyclic nucleotide phosphodiesterases in, and other tissues from various vertebrate and invertebrate species in relation to the control of the concentration of adenosine 3′:5′-cyclic monophosphate (Arch, J. R. S. & Newsholme, E. A.) 603–622
Liver cells, chick, isolated, effects of added purines on the biosynthesis of urate and purines *de novo* by, and kidney and lymphoid cells (Badenoch-Jones, P. & Buttery, P. J.) 549–556
Liver cells, rat, cultured, evidence for the involvement of singlet oxygen and the formation of a stable inducing intermediate in the induction of benzo[*a*]pyrene monooxygenase in, by the photochemical generation of active species of oxygen (Paine, A. J.) 109–117
Liver cells, rat, isolated, regulation of the metabolism of folates and methionine in, and perfused rat liver (Krebs, H. A., Hems, R. & Tyler, B.) 341–353
Liver, chick-embryo, biosynthesis of 5-aminolaevulinate synthase by systems containing polyribosomes isolated from (Whiting, M. J.) 391–400
Liver, chick-embryo, precocious development of the activity of uridine diphosphate glucuronyltransferase in, after the administration of corticotropin and of 11β-hydroxy corticosteroids (Leakey, J. E. A., Wishart, G. J. & Dutton, G. J.) 419–426
Liver, cow, effects of the administration of glucose on the concentrations of metabolites in, in animals with bovine ketosis (Treacher, R. J., Baird, G. D. & Young, J. L.) 127–134
Liver, mouse, altered metabolism of polyamines in, and kidney of animals of the inbred PRO/Re strain characterized by abnormal accumulation of proline (Manen, C.-A., Blake, R. L. & Russell, D. H.) 529–533

Liver, mouse, role of the degradation of protein in the growth of, in animals after a nutritional shift from a protein-depleted diet to an adequate diet (Conde, R. D. & Scornik, O. A.) 385–390
Liver, rat, binding of diethylstilboestrol to deoxyribonucleic acid by microsomal fraction from, *in vitro* and in cultured mouse-embryo cells (Blackburn, G. M., Thompson, M. H. & King, H. W. S.) 643–646
Liver, rat, biosynthesis of serum glycoproteins in, after partial hepatectomy (Serafini-Cessi, F.) 153–155
Liver, rat, changes in the activities of prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and collagen glucosyltransferase in, as a function of age and in hepatic injury induced by dimethylnitrosamine (Risteli, J. & Kivirikko, K. I.) 361–367
Liver, rat, characterization of the binding of human growth hormone to microsomal membranes from (Herington, A. C., Veith, N. & Burger, H. G.) 61–69
Liver, rat, comparison of the activities for the biosynthesis of protein by native rough endoplasmic-reticulum membrane from, and by that reconstituted *in vitro* (de Groot, N., Yuli, I. J., Czosnek, H. H., Shiklosh, Y. & Hochberg, A. A.) 23–31
Liver, rat, comparison of the properties of glutathione *S*-transferases of, and kidney (Kaplowitz, N., Clifton, G., Kuhlenkamp, J. & Wallin, J. D.) 243–248
Liver, rat, degradation in, of peptide-bound chondroitin sulphate injected intravenously into the animal (Wood, K. M., Curtis, C. G., Powell, G. M. & Wusteman, F. S.) 39–46
Liver, rat, differences between newly formed and recycled free small ribosomal subunits in the cytoplasm of (Hinton, R. H. & Mullock, B. M.) 97–103
Liver, rat, effect of the administration of cobalt ions on the uptake of plasma iron by (Cunningham, V. J., De Matteis, F. & Stonard, M. D.) 105–108
Liver, rat, effects of starvation and re-feeding with amino acids on the activity of polyadenylate polymerase in nuclei and mitochondria of (Jacob, S. T., Rose, K. M. & Munro, H. N.) 161–167
Liver, rat, effects of the administration of 2-allyl-2-isopropylacetamide on the biosynthesis and nucleocytoplasmic transport of polyadenylate-containing ribonucleic acid in (Sardana, M. K. & Padmanaban, G.) 169–174
Liver, rat, leucine and 3-hydroxybutyrate as precursors of lipids in, and spinal cord during postnatal development (Ramsey, R. B.) 501–504
Liver, rat, lowered respiratory activity in hypo-osmotically shocked mitochondria from, without loss of cytochrome *c* (Barrett, M. C., Mills, D. J. & Horton, A. A.) 635–638
Liver, rat, mechanism of the inhibition by diphenyleneiodonium and 2,4-dichlorodiphenyleneiodonium of oxygen uptake by mitochondria from, as a consequence of the catalysis of the exchange of chloride and hydroxyl ions (Gatley, S. J. & Sherratt, H. S. A.) 317–326
Liver, rat, metabolism and binding of catecholamines by microsomal mixed-function oxidase of (McKillop, D. & Powis, G.) 135–140
Liver, rat, metabolism of steroids in, in the fatty liver condition induced by feeding with orotic acid (Carrella, M., Björkhem, I., Gustafsson, J.-Å., Einarsson, K. & Hellström, K.) 89–95
Liver, rat, perfused, isolated, regulation of the metabolism of folates and methionine in, and rat hepatocytes (Krebs, H. A., Hems, R. & Tyler, B.) 341–353
Liver, rat, purification of prolyl hydroxylase from, and comparison of changes in its activity with changes in the concentration of protein reacting with anti-(prolyl hydroxylase) serum as a function of age and in hepatic injury induced by dimethylnitrosamine (Risteli, J., Tuderman, L. & Kivirikko, K. I.) 369–376
Liver, rat, regenerating, inhibition by 1,3-diaminopropane of the accumulation of polyamines and the biosynthesis of deoxyribonucleic acid in, after partial hepatectomy (Pösö, H. & Jänne, J.) 485–488
Liver, rat, regenerating, metabolism of glucosamine in (Akamatsu, N., Nakajima, H. & Miyata, S.) 589–592
Liver, rat, regulation of the positional specificity of fatty acids during the biosynthesis of phosphatidate in mitochondria and microsomal fraction from (Bjerve, K. S., Daae, L. N. W. & Bremer, J.) 249–254
Liver, rat, relation of the binding of diphenyleneiodonium to mitochondria from, to the extent of inhibition of oxygen uptake (Gatley, S. J. & Sherratt, H. S. A.) 307–315
Liver, species differences in the formation of glucuronide and sulphate conjugates of 4-hydroxy-3-methoxyphenylethanol in, and other tissues (Wong, K. P.) 33–37
Luteinizing hormone, *see* Lutropin
Lutropin, regulation by choriogonadotropin and, of the activity of adenosine 3′:5′-cyclic monophosphate-dependent protein kinases in rat ovary cells (Clark, M. R., Azhar, S. & Menon, K. M. J.) 175–182
Lymphocytes, pig, isolated, removal by glycocholate and taurocholate of components of the plasma membrane of, without cell lysis (Holdsworth, G. & Coleman, R.) 493–495
Lymphoid cells, chick, isolated, effects of added purines on the biosynthesis of urate and purines *de novo* by, and liver and kidney cells (Badenoch-Jones, P. & Buttery, P. J.) 549–556
Lysosomes, fibroblast, Chinese-hamster, effects of intralysosomal storage of sucrose on the turnover of enzymes in, and Golgi apparatus (Warburton, M. J. & Wynn, C. H.) 401–407
Lysyl hydroxylase, changes in the activities of prolyl hydroxylase, collagen galactosyltransferase, collagen glucosyltransferase and, in rat liver as a function of age and in hepatic injury induced by dimethylnitrosamine (Risteli, J. & Kivirikko, K. I.) 361–367

Macaca mulatta, *see* Rhesus monkey
Mammary gland, guinea-pig, perfused, isolated, uptake and metabolism of tryptophan by (Mepham, B., Peters, A. R. & Davis, S. R.) 659–662
Mammary gland, mouse, activity of the glucocorticosteroid receptor in, during pregnancy and lactation (Chomczynski, P. & Zwierzchowski, L.) 481–483
Mammary gland, mouse, pregnant, effects of insulin, cortisol and prolactin on the uptake of amino acids and the biosynthesis of protein in explants of (Anderson, L. D. & Rillema, J. A.) 355–359

Membrane, endoplasmic-reticulum, rough, liver, rat, native, comparison of the activities for the biosynthesis of protein by, and by that reconstituted *in vitro* (de Groot, N., Yuli, I. J., Czosnek, H. H., Shiklosh, Y. & Hochberg, A. A.) 23–31
Membrane, erythrocyte, human, identification of a sialoglycopeptide released by self-digestion from (Brovelli, A., Pallavicini, G., Sinigaglia, F., Balduini, C. L. & Balduini, C.) 497–500
Membrane, plasma, lymphocyte, pig, removal by glycocholate and taurocholate of components of, without cell lysis (Holdsworth, G. & Coleman, R.) 493–495
Membranes, microsomal, liver, rat, characterization of the binding of human growth hormone to (Herington, A. C., Veith, N. & Burger, H. G.) 61–69
Membranes, platelet, human, release of arachidonate from diacyl phosphatidylethanolamine by (Jesse, R. L. & Cohen, P.) 283–287
Messenger ribonucleic acid, *see* Ribonucleic acid, messenger
Methionine, regulation of the metabolism of folates and, in isolated perfused rat liver and rat hepatocytes (Krebs, H. A., Hems, R. & Tyler, B.) 341–353
Methyl cyanide, biochemical pathway for the metabolism of, in *Pseudomonas* sp. N.C.I.B. 10477 (Firmin, J. L. & Gray, D. O.) 223–229
Mevalonate, uptake of acetate and, during the development of plastids in oat seedlings (Wellburn, A. R. & Hampp, R.) 231–233
Microsomal fraction, liver, rat, binding of diethylstilboestrol to deoxyribonucleic acid by, *in vitro* and in cultured mouse-embryo cells (Blackburn, G. M., Thompson, M. H. & King, H. W. S.) 643–646
Microsomal fraction, liver, rat, characterization of the binding of human growth hormone to membranes of (Herington, A. C., Veith, N. & Burger, H. G.) 61–69
Microsomal fraction, liver, rat, metabolism and binding of catecholamines by mixed-function oxidase of (McKillop, D. & Powis, G.) 135–140
Microsomal fraction, liver, rat, regulation of the positional specificity of fatty acids during the biosynthesis of phosphatidate in, and mitochondria (Bjerve, K. S., Daae, L. N. W. & Bremer, J.) 249–254
Microsomal fractions, kidney and spleen, rat, activities of arylsulphatase C and oestrogen sulphatase in (Thomas, S. B. & Rose, F. A.) 631–633
Milk protein, uptake and incorporation of tryptophan into, by isolated perfused guinea-pig mammary gland (Mepham, B., Peters, A. R. & Davis, S. R.) 659–662
Mitochondria, adrenal-gland-cortex, ox, oxidation of cholesterol and its analogues by, and mitochondrial preparations from other steroid-hormone-producing tissues (Arthur, J. R., Blair, H. A. F., Boyd, G. S., Mason, J. I. & Suckling, K. E.) 47–51
Mitochondria, heart, ox, interaction of reduced nicotinamide–adenine dinucleotide phosphate with reduced nicotinamide–adenine dinucleotide–ubiquinone reductase from (Ragan, C. I.) 149–151
Mitochondria, heart, ox, kinetic analysis of the changes in fluorescence on the interaction of 8-anilinonaphthalene-1-sulphonate with submitochondrial particles from (Gains, N. & Dawson, A.P.) 295–305
Mitochondria, heart, rat, effect of lead ions on the uptake of calcium ions by (Parr, D. R. & Harris, E. J.) 289–294
Mitochondria, liver, rat, effects of starvation and refeeding with amino acids on the activity of polyadenylate polymerase in, and nuclei (Jacob, S. T., Rose, K. M. & Munro, H. N.) 161–167
Mitochondria, liver, rat, hypo-osmotically shocked, lowered respiratory activity in, without loss of cytochrome *c* (Barrett, M. C., Mills, D. J. & Horton, A. A.) 635–638
Mitochondria, liver, rat, mechanism of the inhibition by diphenyleneiodonium and 2,4-dichlorodiphenyleneiodonium of oxygen uptake by, as a consequence of the catalysis of the exchange of chloride and hydroxyl ions (Gatley, S. J. & Sherratt, H. S. A.) 317–326
Mitochondria, liver, rat, regulation of the positional specificity of fatty acids during the biosynthesis of phosphatidate in, and microsomal fraction (Bjerve, K. S., Daae, L. N. W. & Bremer, J.) 249–254
Mitochondria, liver, rat, relation of the binding of diphenyleneiodonium to, to the extent of inhibition of oxygen uptake (Gatley, S. J. & Sherratt, H. S. A.) 307–315
Mixed-function oxidase, *see* Oxidase, mixed-function
Muscle, activities and properties of adenylate cyclase and cyclic nucleotide phosphodiesterases in, and other tissues from various vertebrate and invertebrate species in relation to the control of the concentration of adenosine 3′:5′-cyclic monophosphate (Arch, R. J. S. & Newsholme, E. A.) 603–622
Muscle, heart, guinea-pig, activities of adenylate cyclase, guanylate cyclase and cyclic nucleotide phosphodiesterase in sarcolemma from (St. Louis, P. J. & Sulakhe, P. V.) 535–541
Muscle, skeletal, rat, activity of 3-oxo acid coenzyme A-transferase in, of normal and streptozotocin-diabetic animals (Fenselau, A. & Wallis, K.) 509–512
Muscle, skeletal, rat, perfused, effects of starvation, streptozotocin-diabetes, acetoacetate and exercise on the activity of pyruvate dehydrogenase in (Hagg, S. A., Taylor, S. I. & Ruderman, N. B.) 203–210
Muscle, skeletal, rat, perfused, effects of starvation, streptozotocin-diabetes, fatty acids, acetoacetate, insulin and exercise on the uptake and disposition of glucose in (Berger, M., Hagg, S. A., Goodman, M. N. & Ruderman, N. B.) 191–202

Nephrectomy, unilateral, biosynthesis of ribonucleic acid in rat kidney cortex at the initiation of compensatory growth after (Cortes, P., Levin, N. W. & Martin, P. R.) 457–470
Nerve cell bodies, cerebral-cortex, rat, isolated, biosynthesis of *N*-acetyl-β-D-glucosaminidase by (Khawaja, J. A. & Sellinger, O. Z.) 513–527
Nervous tissue, activities and properties of adenylate cyclase and cyclic nucleotide phosphodiesterases in, and other tissues from various vertebrate and invertebrate species in relation to the control of the concentration of adenosine 3′:5′-cyclic monophosphate (Arch, R. J. S. & Newsholme, E. A.) 603–622
Neuraminidase, increase in the amount of sialic acids removable by, during the shape change of human and rabbit platelets (Motamed, M., Michal, F. & Born, G. V. R.) 655–657

Neuronal cell bodies, cerebral-cortex, rat, isolated, biosynthesis of *N*-acetyl-β-D-glucosaminidase by (Khawaja, J. A. & Sellinger, O. Z.) 513–527
Nicotinamide–adenine dinucleotide phosphate, reduced, interaction of, with ox heart mitochondrial reduced nicotinamide–adenine dinucleotide–ubiquinone reductase (Ragan, C. I.) 149–151
Nicotinamide–adenine dinucleotide (reduced) dehydrogenase, inhibition by diphenyleneiodonium of the activity of, of rat liver mitochondria (Gatley, S. J. & Sherratt, H. S. A.) 307–315
Nicotinamide–adenine dinucleotide (reduced)–ubiquinone reductase, mitochondrial, heart, ox, interaction of reduced nicotinamide–adenine dinucleotide phosphate with (Ragan, C. I.) 149–151
Noradrenaline, metabolism and binding of adrenaline and, by rat liver microsomal mixed-function oxidase (McKillop, D. & Powis, G.) 135–140
Nuclei, brine-shrimp, isolated, selective resistance to desiccation of the biosynthesis of ribonucleic acid in, during pre-emergence development (de Chaffoy, D. & Kondo, M.) 639–642
Nuclei, liver, rat, effects of starvation and re-feeding with amino acids on the activity of polyadenylate polymerase in, and mitochondria (Jacob, S. T., Rose, K. M. & Munro, H. N.) 161–167

Oat (*Avena sativa*) seedlings, uptake of mevalonate and acetate during the development of plastids in (Wellburn, A. R. & Hampp, R.) 231–233
Oestrogen sulphatase, subcellular distribution of the activities of arylsulphatase C and, in rat kidney and spleen (Thomas, S. B. & Rose, F. A.) 631–633
Ornithine, metabolism of polyamines and, during the germination of *Aspergillus nidulans* conidia (Stevens, L., McKinnon, I. M. & Winther, M.) 235–241
Orotic acid, metabolism of steroids in rat fatty liver induced by feeding with (Carella, M., Björkhem, I., Gustafsson, J.-Å., Einarsson, K. & Hellström, K.) 89–95
Ovary cells, rat, regulation by choriogonadotropin and lutropin of the activity of adenosine 3′:5′-cyclic monophosphate-dependent protein kinases in (Clark, M. R., Azhar, S. & Menon, K. M. J.) 175–182
Oxidase, mixed-function, microsomal, liver, rat, metabolism and binding of catecholamines by (McKillop, D. & Powis, G.) 135–140
3-Oxo acid coenzyme A-transferase, activity of, in normal and streptozotocin-diabetic rat skeletal muscle (Fenselau, A. & Wallis, K.) 509–512
Oxygen, evidence for the involvement of singlet oxygen and the formation of a stable inducing intermediate in the induction of benzo[*a*]pyrene mono-oxygenase in cultured rat liver cells by the photochemical generation of active species of (Paine, A. J.) 109–117
Oxygen, mechanism of the inhibition by diphenyleneiodonium and 2,4-dichlorodiphenyleneiodonium of the uptake of, by rat liver mitochondria as a consequence of the catalysis of the exchange of chloride and hydroxyl ions (Gatley, S. J. & Sherratt, H. S. A.) 317–326
Oxygen, relation of the binding of diphenyleneiodonium to rat liver mitochondria to the extent of inhibition of uptake of (Gatley, S. J. & Sherratt, H. S. A.) 307–315

Pancreas, mouse, inosine-stimulated release of insulin and the metabolism of inosine by islets of Langerhans isolated from (Capito, K. & Hedeskov, C. J.) 335–340
Papio anubis, *see* Baboon
Parotid gland, rat, lack of dependence on the ionic environment of the cholinergically stimulated breakdown of phosphatidylinositol in fragments of (Jones, L. M. & Michell, R. H.) 505–507
Peptide, metabolic fate of chondroitin sulphate bound to, injected intravenously into the rat (Wood, K. M., Curtis, C. G., Powell, G. M. & Wusteman, F. S.) 39–46
Peroxidase, subcellular localization of, and the site of iodination in rat thyroid gland (Edwards, H. H. & Morrison, M.) 477–479
Phenylalanine, comparison of the activities for the incorporation of leucine and, into protein by native rat liver rough endoplasmic-reticulum membrane and by that reconstituted *in vitro* (de Groot, N., Yuli, I. J., Czosnek, H. H., Shiklosh, Y. & Hochberg, A. A.) 23–31
Phosphatidate, regulation of the positional specificity of fatty acids during the biosynthesis of, in rat liver mitochondria and microsomal fraction (Bjerve, K. S., Daae, L. N. W. & Bremer, J.) 249–254
Phosphatidate, turnover of, and other phospholipids in *Torpedo marmorata* electric organ during discharge *in vivo* (Bleasdale, J. E., Hawthorne, J. N., Widlund, L. & Heilbronn, E.) 557–565
Phosphatidylcholine, incorporation of ethanolamine into phosphatidylethanolamine and of choline into, in germinating soya-bean seeds (Dykes, C. W., Kay, J. & Harwood, J. L.) 575–581
Phosphatidylcholine, turnover of, and other phospholipids in *Torpedo marmorata* electric organ during discharge *in vivo* (Bleasdale, J. E., Hawthorne, J. N., Widlund, L. & Heilbronn, E.) 557–565
Phosphatidylethanolamine, diacyl, release of arachidonate from, by human platelet membranes (Jesse, R. L. & Cohen, P.) 283–287
Phosphatidylethanolamine, incorporation of choline into phosphatidylcholine and of ethanolamine into, in germinating soya-bean seeds (Dykes, C. W., Kay, J. & Harwood, J. L.) 575–581
Phosphatidylinositol, lack of dependence on the ionic environment of the cholinergically stimulated breakdown of, in rat parotid-gland fragments (Jones, L. M. & Michell, R. H.) 505–507
Phosphatidylinositol, turnover of, and other phospholipids in *Torpedo marmorata* electric organ during discharge *in vivo* (Bleasdale, J. E., Hawthorne, J. N., Widlund, L. & Heilbronn, E.) 557–565
3′-Phosphoadenosine 5′-sulphatophosphate, *see* Adenosine 3′-phosphate 5′-sulphatophosphate
Phosphodiesterase, activities of adenylate cyclase, guanylate cyclase and, in guinea-pig heart-muscle sarcolemma (St. Louis, P. J. & Sulakhe, P. V.) 535–541
Phosphodiesterases, activities and properties of adenylate cyclase and, in muscle, liver and nervous tissue from various vertebrate and invertebrate species in relation to the control of the concentration of adenosine 3′:5′-cyclic monophosphate (Arch, R. J. S. & Newsholme, E. A.) 603–622

Phosphoenolpyruvate carboxykinase (guanosine triphosphate), effects of glucocorticoids and insulin on the biosynthesis and degradation of, in cultured rat epididymal adipose tissue *in vitro* (Meyuhas, O., Reshef, L., Ballard, F. J. & Hanson, R. W.) 9–16

Phosphoenolpyruvate carboxykinase (guanosine triphosphate), regulation by glucocorticoids and insulin of the activity of, in rat epididymal adipose tissue *in vivo* (Meyuhas, O., Reshef, L., Gunn, J. M., Hanson, R. W. & Ballard, F. J.) 1–7

Phospholipids, decrease by polyethylene glycol of the surface potential of monolayers of, and its relevance to the induction of cell fusion of chicken erythrocytes (Maggio, B., Ahkong, Q. F. & Lucy, J. A.) 647–650

Phospholipids, incorporation of choline and ethanolamine into, in germinating soya-bean seeds (Dykes, C. W., Kay, J. & Harwood, J. L.) 575–581

Phospholipids, turnover of, in *Torpedo marmorata* electric organ during discharge *in vivo* (Bleasdale, J. E., Hawthorne, J. N., Widlund, L. & Heilbronn, E.) 557–565

Photosynthesis, properties of the primary electron acceptor in the reaction centre of Photosystem I for, in spinach chloroplasts and its interaction with pigment P700 and the bound ferredoxin in various oxidation–reduction states (Evans, M. C. W., Sihra, C. K. & Cammack, R.) 71–77

Pigeon, use of ionophore A23187 to study the effect of intracellular calcium ions on the adrenaline-stimulated increase in the concentration of adenosine 3′:5′-cyclic monophosphate in erythrocytes from (Campbell, A. K. & Siddle, K.) 211–221

Pigment P700, properties of the primary electron acceptor in the Photosystem I reaction centre of spinach chloroplasts and its reaction with the bound ferredoxin and, in various oxidation–reduction states (Evans, M. C. W., Sihra, C. K. & Cammack, R.) 71–77

Pituitary-gland tumour cells (GH_4C_1), rat, cultured, basal and thyroliberin-stimulated biosynthesis of prolactin by (Gautvik, K. M. & Fossum, S.) 119–125

Plasma membrane, *see* Membrane, plasma

Plasma, rat, effect of the administration of cobalt ions on the uptake of iron from, by the liver (Cunningham, V. J., De Matteis, F. & Stonard, M. D.) 105–108

Plastids, oat-seedling, uptake of mevalonate and acetate during the development of (Wellburn, A. R. & Hampp, R.) 231–233

Platelets, blood, baboon and rhesus-monkey, evidence for lack of conversion of preformed lanosterol into cholesterol by, and arterial tissue *in vivo* (Derksen, A., Meguid, M. M. & Cohen, P.) 157–159

Platelets, blood, human, release of arachidonate from diacyl phosphatidylethanolamine by membranes from (Jesse, R. L. & Cohen, P.) 283–287

Platelets, human and rabbit, increase in the amount of sialic acids removable by neuraminidase during the shape change of (Motamed, M., Michal, F. & Born, G. V. R.) 655–657

Polyadenylate, effects of the administration of 2-allyl-2-isopropylacetamide on the biosynthesis and nucleocytoplasmic transport of ribonucleic acid containing, in rat liver (Sardana, M. K. & Padmanaban, G.) 169–174

Polyadenylate polymerase, effects of starvation and refeeding with amino acids on the activity of, in rat liver nuclei and mitochondria (Jacob, S. T., Rose, K. M. & Munro, H. N.) 161–167

Polyamines, altered metabolism of, in the PRO/Re strain of inbred mice characterized by abnormal accumulation of proline (Manen, C.-A., Blake, R. L. & Russell, D. H.) 529–533

Polyamines, inhibition by 1,3-diaminopropane of the accumulation of, and the biosynthesis of deoxyribonucleic acid in regenerating rat liver after partial hepatectomy (Pösö, H. & Jänne, J.) 485–488

Polyamines, metabolism of ornithine and, during the germination of *Aspergillus nidulans* conidia (Stevens, L., McKinnon, I. M. & Winther, M.) 235–241

Polyethylene glycol, decrease by, of the surface potential of monolayers of phospholipids and its relevance to the induction of cell fusion of chicken erythrocytes (Maggio, B., Ahkong, Q. F. & Lucy, J. A.) 647–650

Polyribosomes, comparison of the activities for the biosynthesis of protein by, attached to native rat liver rough endoplasmic-reticulum membrane and re-attached to the membrane by reconstitution *in vitro* (de Groot, N., Yuli, I. J., Czosnek, H. H., Shiklosh, Y. & Hochberg, A. A.) 23–31

Polyribosomes, liver, chick-embryo, biosynthesis of 5-aminolaevulinate synthase by systems containing (Whiting, M. J.) 391–400

Polysomes, *see* Polyribosomes

Pregnancy, activity of the glucocorticosteroid receptor in mouse mammary gland during, and lactation (Chomczynski, P. & Zwierzchowski, L.) 481–483

Pregnenolone (3β-hydroxypregn-5-en-20-one), oxidation of cholesterol and its analogues to, by mitochondrial preparations from mammalian steroid-hormone-producing tissues (Arthur, J. R., Blair, H. A. F., Boyd, G. S., Mason, J. I. & Suckling, K. E.) 47–51

Prolactin, basal and thyroliberin-stimulated biosynthesis of, by cultured rat pituitary-gland tumour cells (GH_4C_1) (Gautvik, K. M. & Fossum, S.) 119–125

Prolactin, effects of insulin, cortisol and, on the uptake of amino acids and the biosynthesis of protein in pregnant mouse mammary-gland explants (Anderson, L. D. & Rillema, J. A.) 355–359

Proline, altered metabolism of polyamines in the PRO/Re strain of inbred mice characterized by abnormal accumulation of (Manen, C.-A., Blake, R. L. & Russell, D. H.) 529–533

Prolyl hydroxylase, changes in the activities of lysyl hydroxylase, collagen galactosyltransferase, collagen glucosyltransferase and, in rat liver as a function of age and in hepatic injury induced by dimethylnitrosamine (Risteli, J. & Kivirikko, K. I.) 361–367

Prolyl hydroxylase, purification of, from rat liver, and comparison of changes in its activity with changes in the concentration of protein reacting with anti-(prolyl hydroxylase) serum as a function of age and in hepatic injury induced by dimethylnitrosamine (Risteli, J., Tuderman, L. & Kivirikko, K. I.) 369–376

Protein, biosynthesis of, in *Drosophila hydei* salivary gland after experimental induction of genes (Koninkx, J. F. J. G.) 623–628

Protein, comparison of the activities for the biosynthesis of, by native rat liver rough endoplasmic-reticulum membrane and by that reconstituted *in vitro* (de Groot, N., Yuli, I. J., Czosnek, H. H., Shiklosh, Y. & Hochberg, A. A.) 23–31
Protein, effects of insulin, cortisol and prolactin on the uptake of amino acids and the biosynthesis of, in pregnant mouse mammary-gland explants (Anderson, L. D. & Rillema, J. A.) 355–359
Protein, iron–sulphur (ferredoxin), bound, properties of the primary electron acceptor in the Photosystem I reaction centre of spinach chloroplasts and its reaction with pigment P700 and, in various oxidation–reduction states (Evans, M. C. W., Sihra, C. K. & Cammack, R.) 71–77
Protein kinases, adenosine 3′:5′-cyclic monophosphate-dependent, regulation by choriogonadotropin and lutropin of the activity of, in rat ovary cells (Clark, M. R., Azhar, S. & Menon, K. M. J.) 175–182
Protein, milk, uptake and incorporation of tryptophan into, by isolated perfused guinea-pig mammary gland (Mepham, B., Peters, A. R. & Davis, S. R.) 659–662
Protein, ribosomal, additional, presence of, in newly formed free small ribosomal subunits compared with recycled free small ribosomal subunits in rat liver cytoplasm (Hinton, R. H. & Mullock, B. M.) 97–103
Protein, role of the degradation of, in the growth of the liver in mice after a nutritional shift from a protein-deficient diet to an adequate diet (Conde, R. D. & Scornik, O. A.) 385–390
Protein, stimulation by testosterone and 6-*N*,2′-*O*-dibutyryladenosine 3′:5′-cyclic monophosphate of the secretion of, and lysosomal enzymes by rat seminal vesicle *in vitro* (Koenig, H., Lu, C. Y. & Bakay, R.) 543–547
Proteins, secretory, basic, androgen-dependent biosynthesis of, by rat seminal vesicle (Higgins, S. J., Burchell, J. M. & Mainwaring, W. I. P.) 271–282
Protons, osmotic lysis as a consequence of the translocation of, during the adenosine triphosphate-evoked release of catecholamines by ox adrenal-gland-medulla chromaffin granules (Casey, R. P., Njus, D., Radda, G. K. & Sehr, P. A.) 583–588
Pseudomonas sp. N.C.I.B. 10477, biochemical pathway for the metabolism of methyl cyanide in (Firmin, J. L. & Gray, D. O.) 223–229
Purines, effects of added purines on the biosynthesis of urate and, *de novo* by isolated chick liver, kidney and lymphoid cells (Badenoch-Jones, P. & Buttery, P. J.) 549–556
Putrescine, altered metabolism of, and other polyamines in the PRO/Re strain of inbred mice characterized by abnormal accumulation of proline (Manen, C.-A., Blake, R. L. & Russell, D. H.) 529–533
Pyruvate dehydrogenase, effects of starvation, streptozotocin-diabetes, acetoacetate and exercise on the activity of, in perfused rat skeletal muscle (Hagg, S. A., Taylor, S. I. & Ruderman, N. B.) 203–210

Red blood cells, *see* Erythrocytes
Respiration, lowered rate of, in hypo-osmotically shocked rat liver mitochondria without loss of cytochrome *c* (Barrett, M. C., Mills, D. J. & Horton, A. A.) 635–638
Reticulocytes, rabbit, failure of a cell-free system from, to remove iron from transferrin (Morgan, E. H.) 489–491
Reticulum, endoplasmic, rough, liver, rat, native, comparison of the activities for the biosynthesis of protein by, and by that reconstituted *in vitro* (de Groot, N., Yuli, I. J., Czosnek, H. H., Shiklosh, Y. & Hochberg, A. A.) 23–31
Reticulum, endoplasmic, thyroid-gland, rat, subcellular localization of peroxidase in (Edwards, H. H. & Morrison, M.) 477–479
Retinoate, relative biopotencies as precursors of, and intestinal absorption of various apo-β-carotenoids in the rat and the chicken (Sharma, R. V., Mathur, S. N. & Ganguly, J.) 377–383
Rhesus monkey (*Macaca mulatta*), evidence for lack of conversion of preformed lanosterol into cholesterol by blood platelets and arterial tissue of baboon (*Papio anubis*) and, *in vivo* (Derksen, A., Meguid, M. M. & Cohen, P.) 157–159
Ribonucleic acid, biosynthesis of, in rat kidney cortex at the initiation of compensatory growth (Cortes, P., Levin, N. W. & Martin, P. R.) 457–470
Ribonucleic acid, messenger, effects of the administration of 2-allyl-2-isopropylacetamide on the biosynthesis and nucleocytoplasmic transport of, in rat liver (Sardana, M. K. & Padmanaban, G.) 169–174
Ribonucleic acid, polyadenylate-containing, effects of the administration of 2-allyl-2-isopropylacetamide on the biosynthesis and nucleocytoplasmic transport of, in rat liver (Sardana, M. K. & Padmanaban, G.) 169–174
Ribonucleic acid, selective resistance to desiccation of the biosynthesis of, in isolated brine-shrimp-embryo nuclei during pre-emergence development (de Chaffoy, D. & Kondo, M.) 639–642
Ribosomal protein, additional, presence of, in newly formed free small ribosomal subunits compared with recycled free small ribosomal subunits in rat liver cytoplasm (Hinton, R. H. & Mullock, B. M.) 97–103
Ribosomal subunits, small, free, newly formed and recycled, differences between, in rat liver cytoplasm (Hinton, R. H. & Mullock, B. M.) 97–103
Ribosomes, 50S, composition of an unusual precursor of, in a mutant of *Escherichia coli* (Markey, F., Sims, P. F. G. & Wild, D. G.) 451–456

Saccharomyces cerevisiae, formation of exchangeable bound sulphite from adenosine 3′-phosphate 5′-sulphatophosphate during the reduction of sulphate in (Wilson, L. G. & Bierer, D.) 255–270
Salivary gland, *Drosophila hydei*, biosynthesis of protein in, after experimental induction of genes (Koninkx, J. F. J. G.) 623–628
Salivary gland, parotid, rat, lack of dependence on the ionic environment of the cholinergically stimulated breakdown of phosphatidylinositol in fragments of (Jones, L. M. & Michell, R. H.) 505–507
Sarcolemma, heart-muscle, guinea-pig, activities of adenylate cyclase, guanylate cyclase and cyclic nucleotide phosphodiesterase in (St. Louis, P. J. & Sulakhe, P. V.) 535–541
Seedlings, oat, uptake of mevalonate and acetate during the development of plastids in (Wellburn, A. R. & Hampp, R.) 231–233

Seeds, soya-bean, germinating, incorporation of choline and ethanolamine into phospholipids in (Dykes, C. W., Kay, J. & Harwood, J. L.) 575–581
Seminal vesicle, rat, androgen-dependent biosynthesis of basic secretory proteins by (Higgins, S. J., Burchell, J. M. & Mainwaring, W. I. P.) 271–282
Seminal vesicle, rat, stimulation by testosterone and 6-*N*,2′-*O*-dibutyryladenosine 3′:5′-cyclic monophosphate of the secretion of protein and lysosomal enzymes by, *in vitro* (Koenig, H., Lu, C. Y. & Bakay, R.) 543–547
Sendai virus, effects of calcium ions and the bivalent cation ionophore A23187 on the agglutination and fusion of chicken erythrocytes by (Hart, C. A., Fisher, D., Hallinan, T. & Lucy, J. A.) 141–145
Serotonin, *see* 5-Hydroxytryptamine
Serum glycoproteins, *see* Glycoproteins, serum
Sialic acids, increase in the amount of, removable by neuraminidase during the shape change of human and rabbit platelets (Motamed, M., Michal, F. & Born, G. V. R.) 655–657
Sialoglycopeptide, identification of, released by self-digestion from human erythrocyte membrane (Brovelli, A., Pallavicini, G., Sinigaglia, F., Balduini, C. L. & Balduini, C.) 497–500
Skeletal muscle, *see* Muscle, skeletal
Slime mould (*Dictyostelium discoideum*), properties of α-D-galactosidase from, and regulation of its activity during development (Kilpatrick, D. C. & Stirling, J. L.) 409–417
Somatotropin, *see* Growth hormone
Soya bean, *see* Bean, soya
Spermidine, altered metabolism of, and other polyamines in the PRO/Re strain of inbred mice characterized by abnormal accumulation of proline (Manen, C.-A., Blake, R. L. & Russell, D. H.) 529–533
Spermine, altered metabolism of, and other polyamines in the PRO/Re strain of inbred mice characterized by abnormal accumulation of proline (Manen, C.-A., Blake, R. L. & Russell, D. H.) 529–533
Spinacea oleracea, *see* Spinach
Spinach (*Spinacea oleracea*) leaves, high rates of incorporation of acetate into lipids of chloroplasts isolated from (Roughan, P. G., Slack, C. R. & Holland, R.) 593–601
Spinach (*Spinacea oleracea*), properties of the primary electron acceptor in the Photosystem I reaction centre of chloroplasts from, and its reaction with pigment P700 and the bound ferredoxin in various oxidation–reduction states (Evans, M. C. W., Sihra, C. K. & Cammack, R.) 71–77
Spinal cord, rat, leucine and 3-hydroxybutyrate as precursors of lipids in, and liver during postnatal development (Ramsey, R. B.) 501–504
Spleen, rat, subcellular distribution of the activities of arylsulphatase C and oestrogen sulphatase in, and kidney (Thomas, S. B. & Rose, F. A.) 631–633
Starvation, effects of, and re-feeding with amino acids on the activity of polyadenylate polymerase in rat liver nuclei and mitochondria (Jacob, S. T., Rose, K. M. & Munro, H. N.) 161–167
Starvation, effects of streptozotocin-diabetes, acetoacetate, exercise and, on the activity of pyruvate dehydrogenase in perfused rat skeletal muscle (Hagg, S. A., Taylor, S. I. & Ruderman, N. B.) 203–210
Starvation, effects of streptozotocin-diabetes, fatty acids, acetoacetate, insulin, exercise and, on the uptake and disposition of glucose in perfused rat skeletal muscle (Berger, M., Hagg, S. A., Goodman, M. N. & Ruderman, N. B.) 191–202
Starvation, mechanisms of the effect of the administration of glucose on bovine ketosis caused by, during early lactation in the cow (Treacher, R. J., Baird, G. D. & Young, J. L.) 127–134
Steroid, anti-inflammatory, modified, retention of, by liposomes (Shaw, I. H., Knight, C. G. & Dingle, J. T.) 473–476
Steroid hormones, oxidation of cholesterol and its analogues by mitochondrial preparations from mammalian tissues producing (Arthur, J. R., Blair, H. A. F., Boyd, G. S., Mason, J. I. & Suckling, K. E.) 47–51
Steroids, androgenic, dependence on, of the biosynthesis of basic secretory proteins by rat seminal vesicle (Higgins, S. J., Burchell, J. M. & Mainwaring, W. I. P.) 271–282
Steroids, cortico-, gluco-, activity of the receptor for, in mouse mammary gland during pregnancy and lactation (Chomczynski, P. & Zwierzchowski, L.) 481–483
Steroids, glucocorticoid, effects of insulin and, on the biosynthesis and degradation of phosphoenolpyruvate carboxykinase (guanosine triphosphate) in cultured rat epididymal adipose tissue *in vitro* (Meyuhas, O., Reshef, L., Ballard, F. J. & Hanson, R. W.) 9–16
Steroids, glucocorticoid, regulation by insulin and, of the activity of phosphoenolpyruvate carboxykinase (guanosine triphosphate) in rat epididymal adipose tissue *in vivo* (Meyuhas, O., Reshef, L., Gunn, J. M., Hanson, R. W. & Ballard, F. J.) 1–7
Steroids, 11β-hydroxy, precocious development of the activity of uridine diphosphate glucuronyltransferase in chick-embryo liver after the administration of corticotropin and of (Leakey, J. E. A., Wishart, G. J. & Dutton, G. J.) 419–426
Steroids, metabolism of, in rat fatty liver induced by feeding with orotic acid (Carrella, M., Björkhem, I., Gustafsson, J.-Å., Einarsson, K. & Hellström, K.) 89–95
Streptozotocin-diabetes, *see* Diabetes, streptozotocin-
Stromal cells, corneal, rabbit, cultured, biosynthesis of glycosaminoglycans by, and endothelial cells (Yue, B. Y. J. T., Baum, J. L. & Silbert, J. E.) 567–573
Submitochondrial particles, heart, ox, kinetic analysis of the changes in fluorescence on the interaction of 8-anilinonaphthalene-1-sulphonate with (Gains, N. & Dawson, A. P.) 295–305
Sucrose, effects of intralysosomal storage of, on the turnover of enzymes in Chinese-hamster fibroblast lysosomes and Golgi apparatus (Warburton, M. J. & Wynn, C. H.) 401–407
Sulphate conjugates, species differences in the formation of glucuronide conjugates and, of 4-hydroxy-3-methoxyphenylethanol (Wong, K. P.) 33–37
Sulphate, formation of exchangeable bound sulphite from adenosine 3′-phosphate 5′-sulphatophosphate during the reduction of, in baker's yeast (Wilson, L. G. & Bierer, D.) 255–270
Sulphate, incorporation of glucosamine and, into glycosaminoglycans by cultured rabbit corneal endothelial and stromal cells (Yue, B. Y. J. T., Baum, J. L. & Silbert, J. E.) 567–573

Sulphite, bound, exchangeable, formation of, from adenosine 3′-phosphate 5′-sulphatophosphate during the reduction of sulphate in baker's yeast (Wilson, L. G. & Bierer, D.) 255–270
Supernatant fraction, *see* Cytosol

Taurocholate, removal by glycocholate and, of components of the plasma membrane of isolated pig lymphocytes without cell lysis (Holdsworth, G. & Coleman, R.) 493–495
Testis, pig, oxidation of cholesterol and its analogues by mitochondrial preparations from, and other steroid-hormone-producing tissues (Arthur, J. R., Blair, H. A. F., Boyd, G. S., Mason, J. I. & Suckling, K. E.) 47–51
Testosterone, dependence on, of the biosynthesis of basic secretory proteins by rat seminal vesicle (Higgins, S. J., Burchell, J. M. & Mainwaring, W. I. P.) 271–282
Testosterone, stimulation by 6-*N*,2′-*O*-dibutyryladenosine 3′:5′-cyclic monophosphate and, of the secretion of protein and lysosomal enzymes by rat seminal vesicle *in vitro* (Koenig, H., Lu, C. Y. & Bakay, R.) 543–547
Thyroid gland, rat, subcellular localization of peroxidase and the site of iodination in (Edwards, H. H. & Morrison, M.) 477–479
Thyroliberin, stimulation by, of the biosynthesis of prolactin by cultured rat pituitary-gland tumour cells (GH_4C_1) (Gautvik, K. M. & Fossum, S.) 119–125
Thyrotropin-releasing factor, *see* Thyroliberin
Torpedo marmorata, turnover of phospholipids in the electric organ of, during discharge *in vivo* (Bleasdale, J. E., Hawthorne, J. N., Widlund, L. & Heilbronn, E.) 557–565
Transferrin, failure of a cell-free system from rabbit reticulocytes to remove iron from (Morgan, E. H.) 489–491
Triacylglycerol, biosynthesis of, in obese–hyperglycaemic mouse epididymal adipose tissue (Jamdar, S. C., Shapiro, D. & Fallon, H. J.) 327–334
Tricarboxylic acid cycle, biochemical pathway for the metabolism of methyl cyanide to intermediates of, in *Pseudomonas* sp. N.C.I.B. 10477 (Firmin, J. L. & Gray, D. O.) 223–229
Triglyceride, *see* Triacylglycerol
Tryptophan, absence of apoenzyme and of hormonal induction mechanisms for tryptophan pyrrolase from the liver of animal species sensitive to the toxicity of (Badawy, A. A.-B. & Evans, M.) 79–88
Tryptophan pyrrolase, absence of apoenzyme and of hormonal induction mechanisms for, from the liver of animal species sensitive to the toxicity of tryptophan (Badawy, A. A.-B. & Evans, M.) 79–88
Tryptophan, uptake and metabolism of, by isolated perfused guinea-pig mammary gland (Mepham, B., Peters, A. R. & Davis, S. R.) 659–662
Tumour cells, ascites, Ehrlich, transport of calcium ions by (Landry, Y. & Lehninger, A. L.) 427–438
Tumour cells (GH_4C_1), pituitary-gland, rat, cultured, basal and thyroliberin-stimulated biosynthesis of prolactin by (Gautvik, K. M. & Fossum, S.) 119–125
Tyrosine, modifiers and inhibitors of the haemolysis of human erythrocytes induced by crystals of (Goldsmith, L. A.) 17–22

Ubiquinone reductase, nicotinamide–adenine dinucleotide-linked, mitochondrial, heart, ox, interaction of reduced nicotinamide–adenine dinucleotide phosphate with (Ragan, C. I.) 149–151
Urate, effects of added purines on the biosynthesis of purines and, *de novo* by isolated chick liver, kidney and lymphoid cells (Badenoch-Jones, P. & Buttery, P. J.) 549–556
Uridine diphosphate galactose–*N*-acetylglucosamine galactosyltransferase, Golgi-apparatus, fibroblast, Chinese-hamster, effects of intralysosomal storage of sucrose on the turnover of, and of lysosomal arylsulphatase B (Warburton, M. J. & Wynn, C. H.) 401–407
Uridine diphosphate glucuronyltransferase, precocious development of the activity of, in chick-embryo liver after the administration of corticotropin and of 11β-hydroxy corticosteroids (Leakey, J. E. A., Wishart, G. J. & Dutton, G. J.) 419–426
Urine, excretion in, of smaller fragments of peptide-bound chondroitin sulphate injected intravenously into the rat (Wood, K. M., Curtis, C. G., Powell, G. M. & Wusteman, F. S.) 39–46

Virus, Sendai, *see* Sendai virus
Vitamin A, relative biopotencies as precursors of, and intestinal absorption of various apo-β-carotenoids in the rat and the chicken (Sharma, R. V., Mathur, S. N. & Ganguly, J.) 377–383

Yeast, baker's (*Saccharomyces cerevisiae*), formation of exchangeable bound sulphite from adenosine 3′-phosphate 5′-sulphatophosphate during the reduction of sulphate in (Wilson, L. G. & Bierer, D.) 255–270